

Product Description

Product Name:	High ankle tiger master brand black leather safety boots shoes steel toe
Item No:	TM007
Upper and Sole:	Embossed split cow leather PU/ PU dual density
Toe cap:	Steel toe to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345:2011 S3 SRC
Style:	laced up safety shoes
Collar:	High density oxford fabric
Tongue:	High density oxford fabric
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA coated with air mesh fabric or others
Construction:	PU injection
Size:	EUR 37-47
Guarantee:	6 months
Usage:	construction site, mining, industrial, general working etc.
Function:	Slip/ oil/ impact/ puncture resistant, anti static, waterproof, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures



TIGER MASTER SAFETY SHOES

more SAFE
STYL
COMFOR

TIGER MASTER
SAFETY SHOES
WAYS OUR CONCERN



TIGER MASTER SAFETY SHOES

YOUR SAFETY IS OUR CONCERN

HOT SALES



STEEL
TOE CAP



PUNCTURE RESISTANT
STEEL



ANTI-STATIC
SHOE



SLIP RESISTANT
SOLE



OIL AND FUEL
RESISTANT SOLE



CE EN ISO 20345 S1P SRC

SHOW

DETAIL DISPLAY

- ***Water resistant embossed split cow leather***



- **TIGER MASTER BRAND**



- **HIGH DENSITY OXFORD FABRIC**



TIGER MASTER SAFETY SHOES

Your safety is our concern



Steel toe cap
Impact resistant

Comfortable Insoles
Breathable



PU dual density sole
Oil & slip resistant

Steel plate
Puncture Resistant



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY