

## Product Description

Product Name:	8 inch non slip tiger master brand steel toe leather safety boots men
Item No:	SD5065
Upper and Sole:	Upper: Embossed cow split leather Sole: PU dual density
Toe:	1. Steel toe cap, it can be impact resistant 200 Joules. 2. non is also provided.
Midsole :	1. Steel plate, it can be puncture resistant 1100 newton. 2. Non is also provided
Weight:	1.2 kgs/pr
Collar:	PU artificial leather with sponge
Tongue:	PU artificial leather, sandproof
Lining:	Air & dry mesh fabric (Your feet will be kept dry and comfortable)
Sockliner:	Moulded EVA or others (Greatly reduce your pain & fatigue from daily work)
Construction:	PU Injection
Height:	8 inch
Size:	37-47 (3-13)
Standard:	CE EN ISO 20345 SBP SRC or others as your requirements
Guarantee:	6 months
Package:	1 pair per color inner box packing, 10 pairs per carton.
Carton Size	59 x 44 x 33 cm
Load quantity of Container:	3000pairs /1x20' container 6000pairs /1x40' container

## Product Pictures





**Company Information**



**Intertek**

**EC Type Examination Certificate**



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDU  
3211, ZHUJIANG PROVINCE, CHINA

**Authorised Representative:** HANDESHI SHANGHAI SAFETY PRODUCTS MFG. CO., LTD.  
1-101 Village, Suzhou Town, Jiangsu District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Plug  
480V 10A/15A  
480V 10A/20A  
480V 10A/25A  
480V 10A/30A  
500 20A 30A 35A

**Description:**

Construction:	Insulation
Terminal:	Open contact
Material:	Open slots
Lead:	0.05
Wire:	3000 (PVC)
Mount:	ACB
Test frequency:	See national file
Test range:	30-40
Category:	300-40A

*C.M.* 1587-02947

**Product Name:** 1587-02947

© Intertek Testing Services (UK) Limited



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY