Product Description

Product Name:	PU injection working men sneakers safety shoes
Item No:	SP030
Upper and Sole:	Air breathable 3D flying knitted fabric PU/PU dual density
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Style:	Laced up safety shoes
Collar:	3D flying knitted fabric
Tongue:	High density mesh fabric
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA coated with air mesh fabric or others
Construction:	PU injection
Height:	Low ankle
Size:	EUR 38-46
Guarantee:	6 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, shock absorption, light weight, breathable.
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40’ container

Product Pictures

OIL RESISTANT
SHOCK
ABSORBER

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY