

Product Description

Product Name:	best selling anti slip pu sole steel toe mid plate industrial safety shoes
Item No:	TM003
Upper and Sole:	Upper: Embossed split cow leather Sole: PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200J. To protect your feet toe without hazard. 2. non-steel toe is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects. 2. non- steel plate is also provided
Collar:	PU artificial leather
Tongue:	PU artificial leather
Lining:	Quality air mesh fabric for a comfort fit
Sockliner:	Removable moulded EVA footed provides long-lasting underfoot support and comfort.
Construction:	PU injection
Height:	Mid cut
Size:	37-46
Standard:	CE EN ISO 20345:2011 SB-P SRC or others
Function:	Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available
Guarantee:	6 months
Package:	1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for [**PPE \(Personal Protective Equipment\)**](#), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY