# **Product Description**

TM003  Upper: Embossed split cow leather Sole: Upper: Embossed split cow leather Sole: PU dual density sole  1. Steel toe cap to be impact resistant 200J. To protect your feet toe without hazard. 2. non-steel toe is also provided.  1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects.  2. non- steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Fongue: PU artificial leather  Construction: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm		
Upper: Embossed split cow leather Sole: PU dual density sole  Toe:  1. Steel toe cap to be impact resistant 200]. To protect your feet toe without hazard.  2. non-steel toe is also provided.  1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects.  2. non-steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Gouglity air mesh fabric for a comfort fit  Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  200 ad quantity of 3200pairs /1x20' container	Product Name:	best selling anti slip pu sole steel toe mid plate industrial safety shoes
Sole: PU dual density sole  1. Steel toe cap to be impact resistant 200J. To protect your feet toe without hazard.  2. non-steel toe is also provided.  1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects.  2. non-steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Gongue: PU artificial leather  Ouality air mesh fabric for a comfort fit  Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm	Item No:	TM003
2. non-steel toe is also provided.  1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects.  2. non- steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Lining: Quality air mesh fabric for a comfort fit  Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  2000 augustity of 3200 pairs /1x20' container	Upper and Sole:	
1. Steel plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects.  2. non- steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Lining: Quality air mesh fabric for a comfort fit  Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Toe:	1. Steel toe cap to be impact resistant 200J. To protect your feet toe without hazard.
objects.  2. non- steel plate is also provided  Collar: PU artificial leather  Fongue: PU artificial leather  Gouglity air mesh fabric for a comfort fit  Construction: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  200 quantity of 3200pairs /1x20' container		2. non-steel toe is also provided.
PU artificial leather  PU artificial leather  PU artificial leather  Quality air mesh fabric for a comfort fit  Removable moulded EVA footed provides long-lasting underfoot support and comfort.  PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Midsole :	
Fongue: PU artificial leather  Quality air mesh fabric for a comfort fit  Removable moulded EVA footed provides long-lasting underfoot support and comfort.  PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  2000 audity of 3200pairs /1x20' container		2. non- steel plate is also provided
Quality air mesh fabric for a comfort fit  Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  2000 aguntity of 3200pairs /1x20' container	Collar:	PU artificial leather
Sockliner: Removable moulded EVA footed provides long-lasting underfoot support and comfort.  Construction: PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Tongue:	PU artificial leather
Construction:  PU injection  Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  2-oad quantity of 3200pairs /1x20' container	Lining:	Quality air mesh fabric for a comfort fit
Height: Mid cut  Size: 37-46  Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available  Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Sockliner:	Removable moulded EVA footed provides long-lasting underfoot support and comfort.
Size: 37-46 Standard: CE EN ISO 20345:2011 SB-P SRC or others Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm Load quantity of 3200pairs /1x20' container	Construction:	PU injection
Standard: CE EN ISO 20345:2011 SB-P SRC or others  Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Height:	Mid cut
Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available Guarantee: 6 months Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm Load quantity of 3200pairs /1x20' container	Size:	37-46
Guarantee: 6 months  Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Standard:	CE EN ISO 20345:2011 SB-P SRC or others
Package: 1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm  Load quantity of 3200pairs /1x20' container	Function:	Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static & water resistant available
Load quantity of 3200pairs /1x20' container	Guarantee:	6 months
	Package:	1 pair per color box, 10 pairs per carton. Caron size: 59 x 44 x 33 cm
	Load quantity of Container:	

## **Product Pictures**











SHOCK ABSORPTION





ANTI-STATIC PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL RESISTANT







# Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for <a href="PPE">PPE</a> (Personal Protective Equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

#### EU TYPE EXAMINATION CERTIFICATE


intertek







# **Production Process**



# **SAFETY SHOES TEST**





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



**ESD Anti-Static Test** 



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

# Canton Fair





#### SAFETY SHOES



### **RAIN BOOTS**





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY