### DESCRIPTION

#### **TIGER MASTER**

- 1. Get the job done right in the tiger master safety shoes. These safety shoes are constructed with a laceup closure, steel safety toe, moisture-wicking lining to help keep your feet dry and a slip resistant PU sole for traction and ultimate versatility.
- 2. Steel toe cap and steel mid-sole that meets CE standards. To protect your feet toe without hazard. To protect your feet without puncture by nail or sharp objects.
- 3. Removable metatomical EVA footbed provides long-lasting underfoot support and comfort.
- 4. Slip-resistant PU outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.
- 5. Made by embossed split cow leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
  - 6. Injection moulded construction, Stable quality, fast speed, environmental protection.
- 7. Safety Shoes Catagory:

OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof

8. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM008L			
Technico.				
Upper and Sole:	Upper: Embossed split cow leather; Sole:			
	PU/ PU dual density sole			
Toe:	Steel toe cap to be impact resistant 200 joules. Non is also provided.			
Midsole :	Steel mid-sole to be puncture resistant 1100 newtons. Non is also provided.			
Collar & Tongue:	PU artificial leather			
Lining:	Soft air mesh fabric lining for a comfort fit			
Shoe pads:	Removable moulded EVA insole offers superior underfoot support and cushioned comfort			
Construction:	Injection moulded			
Height:	Low cut			
Size:	36-47			
Standard:	CE EN ISO 20345 S1-P SRC or others			
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, anti static and water resistant.			
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.			
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, anti static and water resistant.			
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm			

Load quantity of Container:

3300pairs /1x20' container . 6600pairs /1x40' container

### **PRODUCT PICTURES**

### **TIGER MASTER**





















MIDSOLE



RESISTANT











### **Anti-Shock Steel toe cap**

Steel toe cap design giving protection from dangerous falling objects

### **European Standard Steel Toe Cap**

- 1) Steel toe shoes with CE EN ISO 20345:2011 standard
- 2 Impact resistance of 200J
- ③Widened Steel Toe
- 4 Pressure resistance > 15KN





## **Puncture Proof Midsole**

Steel mid-sole puncture proof 1100 newtons,

To protect your feet without puncture by nail or
sharp objects.





# **PU Out Sole**

Slip-resistant PU outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.

Provides stronger wear-resisting, a slip-resistant PU outsole for excellent stability.






# Upper & Insole

Waterproof Cow Leather Upper

Removable metatomical EVA footbed provides long-lasting underfoot support and comfort.









### **COMPANY INFORMATION**

#### **TIGER MASTER**

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE** (**Personal protective equipment**), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







#### **TIGER MASTER OFFICE SHOW**





### **TIGER MASTER SAMPLE ROOM**





## **SAFETY SHOES TEST**





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



**ESD Anti-Static Test** 



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

# **Production Process**



# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com





