

Product Description

Product Name:	CE european safety shoes
Item No:	TM008L
Upper and Sole:	Upper: First layer genuine leather Sole: PU/PU dual density
Toe:	1. Steel toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 Newton. 2. non- steel plate is also provided
Collar:	PU artificial leather
Tongue:	PU artificial leather
Lining:	Air mesh fabric (it will be kept your feet comfortable)
Insoles:	Anti static Moulded EVA coated with air mesh fabric or others as your requirements (Greatly reduce your feet pain & fatigue from daily work)
Construction:	PU injection
Height:	Low ankle
Size:	38-47
Standard:	CE EN ISO 20345:2011 S3 SRC
Function:	Oil/ slip/ impact/ puncture/ water resistant, anti static, shock absorption
Guarantee:	6 months
Package:	1 pair per color box, 10 pairs in a carton. Carton size: 58.5 x 40 x 32.5cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T