

Product Description

Product Name:	Low cut anti slip steel toe mid plate cheap executive safety shoes men
Item No:	TM054
Upper and Sole:	Upper: Corrected split cow leather; Sole: PU/ PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200 joules. To protect your feet toe without hazard. 2. non is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects. 2. non is also provided
Collar:	Corrected split cow leather
Tongue:	Corrected split cow leather
Lining:	Brown soft air mesh fabric lining for a comfort fit
Shoe pads:	Removable moulded EVA insole offers superior underfoot support and cushioned comfort
Construction:	Injection moulded
Height:	Low cut
Size:	37-46
Standard:	CE EN ISO 20345:2011 SB-P SRC or others (O1, O2, O3, SB, S1, S1-P S2, S3).
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, durable, anti static & water resistant available.
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



**200 JOULE
TOECAP**



**SLIP-
RESISTANT**



**SHOCK
ABSORPTION**



ANTI-STATIC



**PETROL AND
CHEMICAL
RESISTANT**



**ANTI-NAIL
MIDSOLE**



**OIL
RESISTANT**



[Safety Shoes Certification:](#)

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY