DESCRIPTION

TIGER MASTER

Item No:	TM080-1			
Upper and Sole:	Soft EVA, non slip rubber			
Toe:	No			
Midsole :	No			
Style:	No lace			
Lining:	No lining			
Shoe pads:	Removable moulded EVA or HI-POLY insole offers superior underfoot support and cushioned comfort			
Height:	Low ankle			
Size:	36-47			
Standard:	CE EN ISO 20345 OB SRC or others			
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.			
Function:	Slip/ oil/ acid/ petrol/ chemical resistant, shock absorption, lightweight.			
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm			
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container			

PRODUCT PICTURES

TIGER MASTER







SLIP-RESISTANT



SHOCK



ANTI-STATIC PETROL AND



PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL





COLOR









COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE** (**Personal protective equipment**), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T





TIGER MASTER®
Safety Shoes | Rain Boots



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com























