

Product Description

Product Name:	Oil acid resistant anti slip double zippers safety shoes without lace
Item No:	TM103
Upper and Sole:	Genuine cow suede leather PU & rubber sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345 SBP SRC or others
Style:	No lace, with double sides zippers
Collar:	PU artificial leather
Tongue:	Suede leather
Lining:	Soft air mesh fabric
Sockliner:	Moulded HI-POLY or PU
Construction:	Injection
Height:	High ankle
Size:	38-46
Guarantee:	6 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static & water resistant available, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures






SHOW

DETAIL DISPLAY



- ***Over toe cap protection***



TIGER MASTER SAFETY SHOES

Your safety is our concern

Double sides zippers

Genuine cow suede leather



Comfortable Insoles

Breathable



Steel toe cap
Impact resistant



PU & Rubber Sole
Oil & acid & slip resistant

Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY