### **Product Description**

Product Name:	waterproof safety shoes for engineers
Item No:	TM113
Upper and Sole:	Upper: Nubuck leather Sole: PU/ PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200 joules. To protect your feet toe without hazard.
	2. non is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
	2. non is also provided
Collar:	PU artificial leather
Tongue:	PU artificial leather & nubuck leather
Lining:	Soft air sandwich mesh fabric ( it will be kept your feet comfortable)
Sockliner:	Moulded HI-POLY insoles or others (Greatly reduce your feet pain & fatigue from daily work)
Construction:	PU injection
Height:	Mid cut
Size:	38-46
Standard:	CE EN ISO 20345:2011 S3 SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Package:	1 pairs per color inner box packing, 10 pairs in a carton.
Carton Size	59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

**Product Pictures** 







### **COMPANY INFORMATION**

#### **TIGER MASTER**

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for <a href="PPE">PPE</a> (Personal protective equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.








### **TIGER MASTER SAMPLE ROOM**





### **SAFETY SHOES TEST**





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



**ESD Anti-Static Test** 



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

## **Production Process**



# Canton Fair





#### SAFETY SHOES



### **RAIN BOOTS**





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























