

Product Description

Product Name:	Tiger master anti slip oil acid resistant oil and gas industry safety shoes
Item No:	TM125
Upper and Sole:	Split nubuck leather & fabric PU & non-marking rubber sole
Toe cap:	Composite toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel toe is also provided.
Mid sole:	Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel plate is also provided.
Style:	Laced up
Collar:	High density fabric
Tongue:	High density fabric
Lining:	Soft air mesh fabric for comfort fit
Sockliner:	Removable EVA or HI-POLY comfort insole with arch support for long-lasting underfoot protection, support and comfort.
Construction:	Injection moulded
Height:	Low cut
Size:	EUR 37-47
Guarantee:	6 months
Function:	Heat resistant the degree of 300, Slip/ oil/ acid/ chemical/ impact/ puncture/ abrasion resistant, metal free, shock absorption. Anti static & water proof available
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



**200 JOULE
TOECAP**



**SLIP-
RESISTANT**



**SHOCK
ABSORPTION**



ANTI-STATIC



**PETROL AND
CHEMICAL
RESISTANT**



**ANTI-NAIL
MIDSOLE**



**OIL
RESISTANT**






Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for [PPE \(Personal Protective Equipment\)](#), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER OFFICE SHOW



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY