#### **Product Description**

- 1. Get the job done right in the tiger master welding boots. These welding boots are constructed without a lace-up closure, composite safety toe, moisture-wicking lining to help keep your feet dry and a slip resistant rubber sole for traction and ultimate versatility.
- 2. Composite toe cap and Non-metallic carbon-fiber mid sole that meets CE standards. To protect your feet toe without hazard. To protect your feet without puncture by nail or sharp objects.
- 3. Removable metatomical hi-poly footbed provides long-lasting underfoot support and comfort.
- 4. Slip-resistant rubber outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.
- 5. Made by corrected split cow leather upper, Comfortable, highly flexible, anti dust and wind.
- 6. Cemented construction, Stable quality, environmental protection.
- 7. Safety Shoes Catagory:

OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof

8. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM139			
Upper and Sole:	Upper: Corrected split cow leather Sole: Natural rubber sole			
Toe:	1. Composite toe cap to be impact resistant 200 Joules.			
	2. non is also provided.			
Midsole :	1. Aramid fiber mid sole to be puncture resistant 1100 Newton.			
	2. non is also provided			
Collar:	PU artificial leather			
Style:	No laces rigger boots with two loops			
Lining:	Soft air mesh fabric			
Sockliner:	Moulded HI-POLY			
Construction:	Cemented			
Height:	28 cm (Average)			
Size:	37-47			
Standard:	CE EN ISO 20345:2011 Sb-p SRC or others.			
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.			
Package:	1 pair per color box, 10 pairs in a carton.			
Carton Size	68 x 65 x 34.5 cm			
Load quantity of Container:	1800pairs /1x20' container 3600pairs /1x40' container			

# **Product Pictures**















200 JOULE TOECAP

SLIP- SHOCK RESISTANT ABSORPTION

ANTI-NAIL MIDSOLE









# **COMPANY INFORMATION**

## **TIGER MASTER**

Tiger Master is safety shoes and <u>PVC rain boots</u> manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for <u>PPE (Personal protective equipment)</u>, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

#### **Advantage:**

- **1. Tiger master pass quality management system certification**, and have onsite materials or finished products inspected, as certified by independent third parties.
- **2. Company industry experience 18 years.** Tiger master with all kinds of products being exported to many countries and regions. The data is from the latest inspection report assessed by independent third parties.
- **3. Our company has self-branded products**, such as TIGER MASTER, VELVERK, ROCKWALKER, SAFER etc.
- **4. Quality assurance:** Tiger master adapts extra six steps for inspection of shipments, no major quality complaints on produced for many years.
- **5. Outstanding technology:** Tiger master makes sure all products are with CE & ASTM approved quality. We provide qualified products.
- **6. Free design service:** Tiger master will provide a world-class design team for you. Enjoy free products photo, creative video, exhibition booth design, catalog design etc.



#### **TIGER MASTER OFFICE SHOW**





### **TIGER MASTER SAMPLE ROOM**





# **SAFETY SHOES TEST**





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



**ESD Anti-Static Test** 



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

# **Production Process**



# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























