Product Description

Upper and Sole: Upper: Embossed split cow leather Sole: PU/ PU dual density sole 1. Steel toe cap to be impact resistant. To protect your feet toe without hazard. 2. non is also provided. 1. Steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects. 2. non is also provided Collar: PU artificial leather Tongue: PU artificial leather Lining: Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container						
Upper and Sole: Upper: Embossed split cow leather Sole: PU/ PU dual density sole 1. Steel toe cap to be impact resistant. To protect your feet toe without hazard. 2. non is also provided. 1. Steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects. 2. non is also provided Collar: PU artificial leather Tongue: PU artificial leather Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Product Name:	Tiger master brand safety shoes industrial				
Sole: PU/ PU dual density sole 1. Steel toe cap to be impact resistant. To protect your feet toe without hazard. 2. non is also provided. 1. Steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects. 2. non is also provided Collar: PU artificial leather Tongue: PU artificial leather Lining: Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Item No:	TM2023				
without hazard. 2. non is also provided. 1. Steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects. 2. non is also provided Collar: PU artificial leather Tongue: PU artificial leather Lining: Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Upper and Sole:					
Midsole: 1. Steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects. 2. non is also provided Collar: PU artificial leather Tongue: PU artificial leather Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Toe:					
puncture by nail or sharp objects. 2. non is also provided PU artificial leather Tongue: PU artificial leather Lining: Soft air mesh fabric (it will be kept your feet comfortable) Sockliner: Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container		2. non is also provided.				
Collar: PU artificial leather Tongue: PU artificial leather Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Midsole :					
Tongue: Description: Pul artificial leather Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Pul injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size Load quantity of 3300pairs /1x20' container		2. non is also provided				
Lining: Soft air mesh fabric (it will be kept your feet comfortable) Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Collar:	PU artificial leather				
Sockliner: Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work) PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Tongue:	PU artificial leather				
(Greatly reduce your feet pain & fatigue from daily work) Construction: PU injection Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Lining:	Soft air mesh fabric (it will be kept your feet comfortable)				
Height: Low ankle Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Sockliner:					
Size: 38-46 Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20¹ container	Construction:	PU injection				
Standard: CE EN ISO 20345:2011 S1-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Height:	Low ankle				
Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Size:	38-46				
Guarantee: The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Package: 1 pairs per color inner box packing, 10 pairs in a carton. Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Standard:	CE EN ISO 20345:2011 S1-P SRC or others.				
Carton Size 58.5 x 40 x 32.5 cm Load quantity of 3300pairs /1x20' container	Guarantee:	The sole is not broken from the middle or pulled off within six month after the				
Load quantity of 3300pairs /1x20' container	Package:	1 pairs per color inner box packing, 10 pairs in a carton.				
	Carton Size	58.5 x 40 x 32.5 cm				
	Load quantity of Container:					

Product Pictures









SLIP- SHOCK RESISTANT ABSORPTION





ANTI-STATIC PETROL AND CHEMICAL MIDSOLE RESISTANT





OIL RESISTANT







COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and <u>PVC rain boots</u> manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for <u>PPE (Personal protective equipment)</u>, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























