

Product Description

1. Get the job done right in the tiger master safety shoes. These safety shoes are constructed with a lace-up closure, composite safety toe, moisture-wicking lining to help keep your feet dry and a slip resistant PU sole for traction and ultimate versatility.
2. Composite toe cap and Non-metallic carbon-fiber mid sole that meets CE standards. To protect your feet toe without hazard. To protect your feet without puncture by nail or sharp objects.
3. Removable metatological hi-poly footbed provides long-lasting underfoot support and comfort.
4. Slip-resistant pu outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.
5. Made by genuine cow suede leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
6. Injection moulded construction, Stable quality, fast speed, environmental protection.
7. Safety Shoes Catagory:

OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole

S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof

8. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM223
Upper and Sole:	Cow suede leather; PU dual density
Toe cap:	1. Composite toe cap to be impact resistant 200 Joules. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. 2. non is also provided
Collar:	Mesh fabric
Tongue:	Mesh fabric
Lining:	Soft air sandwich mesh fabric lining
Shoe pads:	Removable metatological HI-POLY footbed provides long-lasting under foot support and comfort.
Construction:	Injection moulded
Height:	Low cut
Size:	37-47
Standard:	CE EN ISO 20345 SB-P SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture resistant, anti slip, light weight, shock absorption, anti static & waterproof available.
Package:	1 pair per color box, 10 pairs per carton. carton size: 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





COMPANY INFORMATION

TIGER MASTER



Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for [PPE \(Personal protective equipment\)](#), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)