

Product Description

1. The Tiger master safety boots is an updated style that providing improved fit and comfortability. This lace-up safety shoe also features superior work protection, a slip-resistant RUBBER outsole for excellent stability.
2. Soft sandwich mesh fabric lining for a comfort fit.
3. Removable metatomical HI-POLY footbed provides long-lasting underfoot support and comfort.
4. Steel toe cap for safety shoes to be impact resistant 200 joues. To protect your feet toe without hazard.
5. Non-metallic anti-penetration insoles insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
6. Made by PU artificial leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
7. Non-marking rubber outsole is oil and slip resistant that meets CE standard.
8. Cemented construction, Stable quality, environmental protection.
9. Safety Shoes Catagory:

OB: Non-Safety, **SB:** With Steel Toe Only, **SBP:** With Steel Toe and Steel mid-sole

S1: SB+Anti-static, **S1P:** S1+Steel Plate, **S2:** S1+Water Proof, **S3:** S1P+Water Proof

10. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM241L
Upper and Sole:	PU artificial leather; EVA & Rubber
Toe cap:	1. Steel toe cap to be impact resistant 200 Joules. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. 2. non is also provided
Collar:	High density fabric
Tongue:	High density fabric
Lining:	Soft air mesh fabric for a comfort fit
Shoe pads:	Removable metatomical EVA or HI-POLY footbed provides long-lasting under foot support and comfort.
Construction:	Cemented
Height:	Low cut
Size:	36-47
Standard:	CE EN ISO 20345 SB-P SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture resistant, anti slip, breathable, shock absorption, anti static.
Package:	1 pair per color box, 10 pairs per carton. carton size: 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT






COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for [PPE \(Personal protective equipment\)](#), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)