DESCRIPTION

TIGER MASTER

- 1. Get the job done right in the tiger master safety shoes. These lace-up safety shoes are moisture-wicking lining to help keep your feet dry and a soft PU sole for traction and ultimate versatility.
- 2. Composite toe cap and aramid fiber mid-sole that meets CE standards. To protect your feet toe without hazard. To protect your feet without puncture by nail or sharp objects.
- 3. Removable metatomical HI-POLY footbed provides long-lasting underfoot support and comfort.
- 4. Slip-resistant PU outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.
- 5. Made by PUTEK technology textile upper, Comfortable, highly flexible, breathable anti dust and wind.
- 6. Injection moulded construction, Stable quality, fast speed, environmental protection.
- 7. Safety Shoes Catagory:

OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof

8. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM268			
Upper and Sole:	Upper: PUTEK technology textile, Sole: PU dual density			
Toe:	1. Composite toe cap to be impact resistant 200 joules.			
	2. non is also provided.			
Midsole :	1. Aramid fiber mid-sole to be puncture resistant 1100 newtons.			
	2. non is also provided			
Collar:	Textile			
Tongue:	Textile			
Lining:	Soft air mesh fabric lining for a comfort fit			
Shoe pads:	Removable moulded HI-POLY insole offers superior underfoot support and cushioned comfort			
Construction:	Injection moulded			
Height:	Low ankle			
Size:	36-47			
Standard:	CE EN ISO 20345 SB-P SRC or others			
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.			
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, anti static.			
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm			

Load quantity of Container:

3200pairs /1x20' container 6400 pairs /1x40' container

PRODUCT PICTURES

TIGER MASTER















200 JOULE TOECAP

SLIP-RESISTANT

SHOCK ABSORPTION

ANTI-STATIC PETROL AND

CHEMICAL RESISTANT

ANTI-NAIL MIDSOLE





Memory Foam Insoles



Breathable Air Hole mesh **PUTEK Technology Abrasion Resistant Textile Upper Supported Counterpart** Wide Fitting **Composite Toe Cap Shock Absorption Anti Static Performance Double Density PU Sole Superior Comfortable**

Anti-nail Penetration Midsole







Anti-Shock Composite toe cap

Composite toe cap design giving protection from dangerous falling objects

European Standard Composite Toe Cap

- 1)Composite toe shoes with CE standard
- 2 Impact resistance of 200J
- **3 Widened Composite Toe**
- 4) Pressure resistance > 15KN





Puncture Proof Midsole

Aramid fiber mid-sole puncture proof 1100 newtons, To protect your feet without puncture by nail or sharp objects.





PU Out Sole

Slip-resistant PU outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.

Provides stronger wear-resisting, a slip-resistant PU outsole for excellent stability.





COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE** (**Personal protective equipment**), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Production Process



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com





