

Product Description

- The Tiger master high qualities safety boots is an updated style that providing improved fit and comfortability. This lace-up safety shoe also features superior work protection, a slip-resistant RUBBER outsole for excellent stability.
- Soft sandwich mesh fabric lining for a comfort fit.
- Removable metatomical HI-POLY footbed provides long-lasting underfoot support and comfort.
- Composite toe cap for safety shoes to be impact resistant 200 joules. To protect your feet toe without hazard.
- Non-metallic anti-penetration insoles insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
- Made by nubuck leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
- Non-marking rubber outsole is oil and slip resistant that meets CE standard. Heat resistant the degree of 300. It features siped tread design that disperses liquids quickly for reliable traction.
- Injection moulded construction, Stable quality, fast speed, environmental protection.
- Safety Shoes Catagory:

OB: Non-Safety, **SB:** With Steel Toe Only, **SBP:** With Steel Toe and Steel mid-sole

S1: SB+Anti-static, **S1P:** S1+Steel Plate, **S2:** S1+Water Proof, **S3:** S1P+Water Proof

- Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Product Name:	High qualities rubber sole safety boots shoes for men
Item No:	TM306
Upper and Sole:	Upper: Genuine nubuck leather; Sole: PU/ rubber
Toe:	1. Steel toe cap to be impact resistant 200 joules. or Composite toe cap 2. non is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 newtons. or Aramid fabric insoles 2. non is also provided
Collar:	High density oxford fabric
Tongue:	High density oxford fabric
Lining:	Soft sandwich mesh fabric lining
Shoe pads:	Removable moulded HI-POLY insole offers superior underfoot support and cushioned comfort
Construction:	Injection
Height:	High ankle
Size:	36-48
Standard:	CE EN ISO 20345 SB-P SRC or others
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Heat resistant the degree of 300, Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, durable, anti static & water resistant available.
Package:	1 pair per color box, 10 pairs per carton. Carton size: 59 x 44 x 33 cm
Load quantity of Container:	3000pairs /1x20' container 6000pairs /1x40' container

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT

 **TIGER MASTER®**



 **TIGER MASTER®**





PACKING



COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE (Personal protective equipment)**, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

EU TYPE EXAMINATION CERTIFICATE intertek



Manufacturer: HAILONGJIANG SAFER CO., LTD
Address: HAILONGJIANG SAFER CO., LTD, NO.121, HAILONGJIANG SAFER INDUSTRIAL PARK, HAILONGJIANG, CHINA
Issue Date: 22 September 2022
Expiry Date: 21 September 2027
Certificate No.: 22/090060 (EU) - Reference to Certificate: 22/090060 (EU)
Product Name(s): 1. FALL PROTECTIVE EQUIPMENT 2. SAFETY NETS 3. SAFETY BARS 4. SAFETY BUMPERS 5. SAFETY SIGNS
Standards: EN 12444:2016, EN 13959-1:2012, EN 13959-2:2012, EN 13959-3:2012, EN 13959-4:2012, EN 13959-5:2012, EN 13959-6:2012, EN 13959-7:2012, EN 13959-8:2012, EN 13959-9:2012, EN 13959-10:2012, EN 13959-11:2012, EN 13959-12:2012, EN 13959-13:2012, EN 13959-14:2012, EN 13959-15:2012, EN 13959-16:2012, EN 13959-17:2012, EN 13959-18:2012, EN 13959-19:2012, EN 13959-20:2012, EN 13959-21:2012, EN 13959-22:2012, EN 13959-23:2012, EN 13959-24:2012, EN 13959-25:2012, EN 13959-26:2012, EN 13959-27:2012, EN 13959-28:2012, EN 13959-29:2012, EN 13959-30:2012, EN 13959-31:2012, EN 13959-32:2012, EN 13959-33:2012, EN 13959-34:2012, EN 13959-35:2012, EN 13959-36:2012, EN 13959-37:2012, EN 13959-38:2012, EN 13959-39:2012, EN 13959-40:2012, EN 13959-41:2012, EN 13959-42:2012, EN 13959-43:2012, EN 13959-44:2012, EN 13959-45:2012, EN 13959-46:2012, EN 13959-47:2012, EN 13959-48:2012, EN 13959-49:2012, EN 13959-50:2012, EN 13959-51:2012, EN 13959-52:2012, EN 13959-53:2012, EN 13959-54:2012, EN 13959-55:2012, EN 13959-56:2012, EN 13959-57:2012, EN 13959-58:2012, EN 13959-59:2012, EN 13959-60:2012, EN 13959-61:2012, EN 13959-62:2012, EN 13959-63:2012, EN 13959-64:2012, EN 13959-65:2012, EN 13959-66:2012, EN 13959-67:2012, EN 13959-68:2012, EN 13959-69:2012, EN 13959-70:2012, EN 13959-71:2012, EN 13959-72:2012, EN 13959-73:2012, EN 13959-74:2012, EN 13959-75:2012, EN 13959-76:2012, EN 13959-77:2012, EN 13959-78:2012, EN 13959-79:2012, EN 13959-80:2012, EN 13959-81:2012, EN 13959-82:2012, EN 13959-83:2012, EN 13959-84:2012, EN 13959-85:2012, EN 13959-86:2012, EN 13959-87:2012, EN 13959-88:2012, EN 13959-89:2012, EN 13959-90:2012, EN 13959-91:2012, EN 13959-92:2012, EN 13959-93:2012, EN 13959-94:2012, EN 13959-95:2012, EN 13959-96:2012, EN 13959-97:2012, EN 13959-98:2012, EN 13959-99:2012



Author: *[Signature]* Date: 22/09/2022
 Verified: *[Signature]* Date: 22/09/2022
 For use as proof of EU Type Examination (EU) only



Certificate of Quality Management System
 Certificate No.: 1980152
Certified to:
HEILONGJIANG SAFER CO., LTD.
 121, HAILONGJIANG SAFER INDUSTRIAL PARK, HAILONGJIANG, CHINA
 The established Quality Management System is found to be in accordance with the Requirements of the Standard as per clause 4.2 of
GB/T 19001-2016/ISO 9001:2015
SCOPE OF CERTIFICATION:
Sales of Personal Protective Equipments (Fall Protective, Head Protective, Head Protection and Body Protection and Traffic Safety Products (Safety Net, Road Cone, Safety Barrier, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Barrier, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)
 Issue Date: 15/11/2019
 Validity: 3 years, until 14/11/2022
 This certification is subject to the terms and conditions of the certification contract and the applicable standards, conditions of certification and the rules of the issuing body.





Author: *[Signature]*

EU TYPE EXAMINATION CERTIFICATE intertek



Manufacturer: HAILONGJIANG SAFER CO., LTD
Address: HAILONGJIANG SAFER CO., LTD, NO.121, HAILONGJIANG SAFER INDUSTRIAL PARK, HAILONGJIANG, CHINA
Issue Date: 22 September 2022
Expiry Date: 21 September 2027
Certificate No.: 22/090060 (EU) - Reference to Certificate: 22/090060 (EU)
Product Name(s): 1. FALL PROTECTIVE EQUIPMENT 2. SAFETY NETS 3. SAFETY BARS 4. SAFETY BUMPERS 5. SAFETY SIGNS
Standards: EN 12444:2016, EN 13959-1:2012, EN 13959-2:2012, EN 13959-3:2012, EN 13959-4:2012, EN 13959-5:2012, EN 13959-6:2012, EN 13959-7:2012, EN 13959-8:2012, EN 13959-9:2012, EN 13959-10:2012, EN 13959-11:2012, EN 13959-12:2012, EN 13959-13:2012, EN 13959-14:2012, EN 13959-15:2012, EN 13959-16:2012, EN 13959-17:2012, EN 13959-18:2012, EN 13959-19:2012, EN 13959-20:2012, EN 13959-21:2012, EN 13959-22:2012, EN 13959-23:2012, EN 13959-24:2012, EN 13959-25:2012, EN 13959-26:2012, EN 13959-27:2012, EN 13959-28:2012, EN 13959-29:2012, EN 13959-30:2012, EN 13959-31:2012, EN 13959-32:2012, EN 13959-33:2012, EN 13959-34:2012, EN 13959-35:2012, EN 13959-36:2012, EN 13959-37:2012, EN 13959-38:2012, EN 13959-39:2012, EN 13959-40:2012, EN 13959-41:2012, EN 13959-42:2012, EN 13959-43:2012, EN 13959-44:2012, EN 13959-45:2012, EN 13959-46:2012, EN 13959-47:2012, EN 13959-48:2012, EN 13959-49:2012, EN 13959-50:2012, EN 13959-51:2012, EN 13959-52:2012, EN 13959-53:2012, EN 13959-54:2012, EN 13959-55:2012, EN 13959-56:2012, EN 13959-57:2012, EN 13959-58:2012, EN 13959-59:2012, EN 13959-60:2012, EN 13959-61:2012, EN 13959-62:2012, EN 13959-63:2012, EN 13959-64:2012, EN 13959-65:2012, EN 13959-66:2012, EN 13959-67:2012, EN 13959-68:2012, EN 13959-69:2012, EN 13959-70:2012, EN 13959-71:2012, EN 13959-72:2012, EN 13959-73:2012, EN 13959-74:2012, EN 13959-75:2012, EN 13959-76:2012, EN 13959-77:2012, EN 13959-78:2012, EN 13959-79:2012, EN 13959-80:2012, EN 13959-81:2012, EN 13959-82:2012, EN 13959-83:2012, EN 13959-84:2012, EN 13959-85:2012, EN 13959-86:2012, EN 13959-87:2012, EN 13959-88:2012, EN 13959-89:2012, EN 13959-90:2012, EN 13959-91:2012, EN 13959-92:2012, EN 13959-93:2012, EN 13959-94:2012, EN 13959-95:2012, EN 13959-96:2012, EN 13959-97:2012, EN 13959-98:2012, EN 13959-99:2012



Author: *[Signature]* Date: 22/09/2022
 Verified: *[Signature]* Date: 22/09/2022
 For use as proof of EU Type Examination (EU) only

ACCREDITED TO:
 GB/T 19001-2016/ISO 9001:2015

Author: *[Signature]*

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength $\geq 120N$



**Bondness Test
 $\geq 4.0N/mm$**



Flex Tester $\geq 36,000T$

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)