

Product Description

| | |
|-----------------------------|---|
| Product Name: | High ankle oil resistant anti slip steel toe oil field safety shoes boots for chile |
| Item No: | TM5003 |
| Upper and Sole: | Upper is Split nubuck leather Sole is EVA & rubber |
| Toe cap: | Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided. |
| Mid sole: | Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided. |
| Weight: | 1.30 kgs/ pr |
| Color: | Yellow |
| Collar: | Sheep leather |
| Tongue: | Sheep leather |
| Lining: | Suede leather |
| Sockliner: | Moulded EVA coated with air mesh fabric or others |
| Construction: | Cemented |
| Height: | Middle cut |
| Size: | EUR 38-46 |
| Guarantee: | 3 months |
| Function: | Oil/ acid/ impact/ puncture resistant, anti static, shock absorption, Waterproof, Abrasion resistant. |
| Package: | 1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm |
| Load quantity of Container: | 3200pairs /1x20' container 6400pairs /1x40' container |

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY