

Product Description

Product Name:	Black leather double sides YKK zippers oil industry safety shoes without lace
Item No:	TM7004
Upper and Sole:	Upper is Split crazy horse leather Sole is PU & non marking rubber
Toe cap:	Steel toe cap or composite toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate or Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Weight:	1.60 kgs/ pr
Color:	Black
Collar:	PU artificial leather
Style:	No lace, with double sides YKK zippers
Lining:	Soft air mesh fabric
Sockliner:	Anti static moulded PU insoles or others
Construction:	PU injection
Height:	High ankle
Size:	EUR 38-46
Guarantee:	6 months
Function:	Oil/ acid/ impact/ puncture resistant, anti static, shock absorption, Waterproof, Abrasion resistant. non marking rubber sole, waterproof socks inside.
Package:	1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection