

## Product Description

Product Name:	Low ankle oil acid resistant anti slip non safety sport type work shoes
Item No:	TMC5008
Upper and Sole:	Genuine cow suede leather upper Natural rubber sole
Toe cap:	Available, steel toe cap to be impact resistant 200 joules, Non is also provided. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard)
Mid sole:	Available, Kevlar mid sole to be puncture resistant 1100 newton. Non is also provided. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard)
Standard:	CE EN ISO 20345 OB SRC or others
Collar:	High density oxford fabric
Tongue:	High density oxford fabric
Lining:	Soft air mesh fabric
Sockliner:	Moulded HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	37-46
Guarantee:	6 months
Function:	Slip/ oil/ acid resistant, shock absorption, impact & puncture resistant available
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY