

We are the manufacturer of safety shoes. It's our honor to introduce

CREATIVITY SOLE



- **New Technical PU Injection Sole.**
- **We Can Make The Sole Appearance Same As MD (Moulded) Sole, But We Are Injection, They Are Cemented.**
- **The Connected Border Is More Tidy And Clean.**
- **The Shoe Of Cemented MD Sole Degum Easily.**
- **Put On Our Shoe From Now On To Say "BYE BYE" to degumming shoe.**



Product Description

Nome do Produto:	Tiger master marca biqueira de aço anti estática dewalt botas de segurança
Item número:	0132

Parte superior e sola:	Parte superior: couro nobuck macio amarelo Sola: sola de criatividade em PU
Dedo do pé:	1. biqueira de aço, pode ser resistente a impactos 200 joules. 2. non também é fornecido.
Entressola:	1 Chapa de aço, pode ser punção resistente 1100 Newton. 2) Não é Além disso forneceu
Peso:	1,4 kgs / pr
Colarinho:	Couro artificial PU com esponja
Língua:	Couro de camurça genuíno macio
Forro:	Tecido amarelo de malha de ar e sanduíche seco (seus pés serão mantidos secos e confortáveis)
Palmilhas:	HI-POLY ou PU moldado (reduz bastante a dor e a fadiga do trabalho diário)
Construção:	Injeção de PU
Altura:	6 polegada
Tamanho:	38-46 (4-12)
Padrão:	CE EN ISO 20345 S1P SRC ou outros como suas exigências
Garantia:	6 meses
Pacote:	Embalagem da caixa interna de cor, 10 pares em uma caixa.
Tamanho da caixa	59 x 53 x 33 cm
Quantidade de carga do recipiente:	2600pairs / 1x20 'container 5200pairs / 1x40 'container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI PRODUCTIVITY APAC CO., LTD.
1201 Village Square Tower, Jiangyin Square, Nanjing
Westgate Park, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
48501-48502
48503-48504
48505-48506
48507-48508
850-200-300-350

Description:

Construction:	Indoor
Usage:	Open market
Material:	Open plan
Level:	000
Area:	000 (Floor)
Mount:	ACB
Test frequency:	See certificate No.
Test range:	00-00
Category:	000-000

Authorised Representative: *C.M.* 1687-02947

Product Reference: 1687-02947

Issued by: Intertek Testing Services (UK) Limited



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY