

## Product Description

Nome do Produto:	escorregar resistente China aço dedo do pé boné esporte segurança sapatos
Item número:	5040L
Parte superior e sola:	Parte superior: couro de camurça de vaca genuíno Sola: PU dupla densidade
Dedo do pé:	1. biqueira de aço para ser resistente ao impacto (200 joules) 2. non também é fornecido.
Entressola:	1. Placa de aço resistente a perfurações (1100 Newton). 2. non também é fornecido
Colarinho:	Tecido oxford de alta densidade com esponja
Língua:	Tecido oxford de alta densidade e couro de camurça
Forro:	Tecido laranja de ar e malha seca (ele manterá os pés secos e confortáveis do trabalho diário)
Sockliner:	EVA moldado ou HI-POLY ou outros (reduz bastante a dor e a fadiga nos pés do trabalho diário)
Construção:	Injeção de PU
Altura:	Tornozelo baixo
Tamanho:	38-46 (4-12)
Padrão:	CE EN ISO 20345: 2011 S1-P ou outros como seus requisitos
Garantia:	6 meses
Pacote:	Embalagem da caixa interna de cor, 10 pares em uma caixa.
Tamanho da caixa	58,5 x 40 x 32,5 cm (41-43)
Quantidade de carga do recipiente:	3300pairs / 1x20 'container 6600pairs / 1x40 'container

## Product Pictures





**Company Information**





### EC Type Examination Certificate

	<b>Issued to:</b> FUJIAN HONGJIAN SHISECO CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDUO ZOU, ZHONGSHAN PROVINCE, CHINA														
	<b>Authorised Representative:</b> FUJIAN HONGJIAN SHISECO CO., LTD. 1-101 Village, Zhongshan Town, Jiangnan District, Nuduo, Zhongshan Province, China														
	<b>Date of Issue:</b> 11 January 2018														
	<b>Expiry Date:</b> 11 February 2020														
	<b>Certificate No.:</b> L20170002947 (extension of certificate L20170024196)														
<b>Product Reference(s):</b>	Safety Group:														
	2000V (2000V)														
	2000V (2000V)														
	2000V (2000V)														
	2000V (2000V)														
<b>Description:</b>	Construction:														
	Terminal:														
	Material:														
	Lead:														
	Mark:														
	Marking:														
<table style="width: 100%; border: none;"> <tr> <td style="border: none;">Impedance:</td> <td style="border: none;">2000V</td> </tr> <tr> <td style="border: none;">Over voltage:</td> <td style="border: none;">2000V</td> </tr> <tr> <td style="border: none;">Over current:</td> <td style="border: none;">2000V</td> </tr> <tr> <td style="border: none;">AC/DC:</td> <td style="border: none;">AC/DC</td> </tr> <tr> <td style="border: none;">Over temperature:</td> <td style="border: none;">2000V</td> </tr> <tr> <td style="border: none;">Test Range:</td> <td style="border: none;">2000V</td> </tr> <tr> <td style="border: none;">Category:</td> <td style="border: none;">2000V</td> </tr> </table>		Impedance:	2000V	Over voltage:	2000V	Over current:	2000V	AC/DC:	AC/DC	Over temperature:	2000V	Test Range:	2000V	Category:	2000V
Impedance:	2000V														
Over voltage:	2000V														
Over current:	2000V														
AC/DC:	AC/DC														
Over temperature:	2000V														
Test Range:	2000V														
Category:	2000V														
															
															
<b>Product Name:</b> FUJIAN HONGJIAN SHISECO CO., LTD.															
<b>Product Reference:</b> L20170002947 (extension of certificate L20170024196)															



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY