

Product Description

Nome do Produto:	Cinza camurça couro anti deslizamento aço dedo do pé à prova de furos segurança sapatos trabalho
Item número:	H17
Superior e Sola:	Parte superior: couro genuíno vaca camurça Solado: Borracha
Biqueira:	1. Tampão de de aço ou composto dedo para ser resistente a impactos 200 Joules. Para proteger os dedos dos pés sem perigo.
	2. non também é fornecido.
Entressola:	1. Palmilhas não metálicas anti-penetração resistentes a perfurações 1100 Newton. Para proteger seus pés sem perfurar por pregos ou objetos pontiagudos
	2. não também é fornecido
Colarinho:	Camurça couro
Língua:	Camurça couro
Resina:	Soft air sanduíche malha tecido para um conforto ajuste
Palmilha:	Anti estático Moldado EVA revestido com ar malha tecido ou outros (Reduzir muito sua pés dor & fadiga do trabalho diário)
Construção:	Cimentado
Altura:	Corte baixo
Tamanho:	36-47
Padrão:	CE EN ISO 20345:2011 SB-P SRC ou outros.
Garantia:	6 meses A sola não é quebrada ao meio ou arrancada dentro de seis meses após a mercadoria chegar ao porto de destino. Não há garantia para o superior.
Função:	Óleo/ ácido/ gasolina/ químico/ impacto/ resistente à perfuração , antiderrapante, respirável, absorção de choque , anti estático.
Pacote:	1 par por cor caixa, 10 pares por caixa. caixa de papelão Tamanho: 58,5 X 40 X 32,5 CM
Quantidade de carga do recipiente:	3300 pares/recipiente de 1x20" 6600 pares/1x40 recipiente

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



Product Show



SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

European standard steel toe cap



SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Bulletproof fabric to prevent piercing Kevlar midsole



BREATHABLE VAMP

The breathable experience you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Breathable leather upper

The vamp has air holes to increase the inside and outside of the shoe

MD-SOLE

The anti-slip effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Three-dimensional shock absorption design

Lightweight TPR sole
Light elastic alkali shock
antiskid





EU TYPE EXAMINATION CERTIFICATE intertek

CE

Issued to: HEILONGJIANG SAFER CO., LTD.
 400011 XINJIANG ROAD, NO.201-100 HANGANG HANGU, HANGU, CHINA

Issue Date: 05 September 2020

Expiry Date: 04 September 2021

Product Ref. No.: 111100081111 (Extension by Certificate L0790373000)

Product Reference(s): 874370 0-6, 82471
 874370 0-6, 82471
 874370 0-6, 82471

Description:

TYPE: SAFETY	Injection
Tempo:	Composite Tempo
Material:	High strength and corrosion-resistant steel
Size:	L706
Color:	1708 PL1014
Material:	L706
Weight (kg):	506 (nominal) x 6
Temp. Range:	25 ± 5°C
Category:	A2P 00C

Notary: CE/11 **Date:** 05/09/2020

Certification Manager: [Signature] **Date:** 05/09/2020

103 and on behalf of ITS Testing Services S.A. Limited

Intertek is a registered company in Singapore. The Intertek logo is a registered trademark of Intertek. The CE mark is a registered trademark of the European Union. The IAF logo is a registered trademark of the International Accreditation Forum. The ANAB logo is a registered trademark of the American National Standards Institute. The EWC logo is a registered trademark of the European Conformity Assessment Center.

EWC

Certificate of Quality Management System

Certificate No.: 105521Q

HEILONGJIANG SAFER CO., LTD.

400011 XINJIANG ROAD, NO.201-100 HANGANG HANGU, HANGU, CHINA
 Unified Social Credit Code: 91220114704114499C

Has established a Quality Management System which is in accordance with the Requirements of the Standard(s) applicable to Class II in:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certificate: Nov. 17, 2021 To Nov. 16, 2024
 Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audits of EWC for maintenance. Conditions on effectiveness of certificate are: <http://www.intertek.com> and official website of Certification and Accreditation Administration of China's Republic of China. Certificate is valid only if the certificate holder complies with the requirements of the Standard(s) in force.)

EWC: [Signature]

ANAB **IAF**

For the Quality Assessment Center Accredited by the State Accreditation Administration of China

EU TYPE EXAMINATION CERTIFICATE intertek

CE

Issued to: HANGANG SAFETY PRODUCTS HANGU CO., LTD.
 LIAOYUAN VILLAGE, HANGU TOWN, HANGU DISTRICT, HANGU, HEILONGJIANG PROVINCE, CHINA

Issue Date: 05 September 2020

Expiry Date: 04 September 2021

Product Reference(s): 874370 0-6, 82471
 874370 0-6, 82471
 874370 0-6, 82471

Description:

Construction:	Injection
Material:	ABS STEEL, TPO/PA
Color:	016 001 STEEL PLAIN
Size:	140-150
Weight:	1400 ± 100G
Temp. Range:	25 ± 5°C
Category:	SA 001

Notary: CE/11 **Date:** 05/09/2020

Certification Manager: [Signature] **Date:** 05/09/2020

103 and on behalf of ITS Testing Services S.A. Limited

Intertek is a registered company in Singapore. The Intertek logo is a registered trademark of Intertek. The CE mark is a registered trademark of the European Union. The IAF logo is a registered trademark of the International Accreditation Forum. The ANAB logo is a registered trademark of the American National Standards Institute. The EWC logo is a registered trademark of the European Conformity Assessment Center.

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

