Product Description

Nome do Produto:	Rosa O óleo resistente a óleo de toe de aço à prova de perfuração das mulheres Sapatos de segurança
Item número:	Dta017.
Superior e sola:	Superior: ar respirável 3D voando malha tecido SOLE: PU / PU densidade de densidade
Dedo do pé:	1. Tampa de dedo do pé para ser resistente a impacto 200 joules. Para proteger seus pés de pés sem perigo.
	2. Toe não-aço também é fornecido.
Midsole:	1. Placa de aço a ser resistente à punção 1100 Newton.Para proteger seus pés sem perfurar por unhas ou objetos pontiagudos
	2. Placa não de aço também é fornecida
Colarinho:	3D voando tecido de malha
Língua:	Tecido de alta densidade
Resina:	Tecido de malha de sanduíche de ar suave (será mantido seus pés confortáveis)
Sockliner:	Anti estático moldado EVA revestido com tecido de malha de ar ou outros como suas necessidades (reduza bastante os pés dor e fadiga do trabalho diário)
Construção:	Injeção do PU.
Altura:	Tornozelo baixo
Tamanho:	38-47.
Padrão:	CE EN ISO 20345: 2011 S1-P SRC ou outros.
Garantia:	6 meses
Pacote:	1 pares por cEmbalagem de caixa interna olor, 10 pares em uma caixa.
Tamanho da caixa	58,5 x 40 x 32,5 cm
Quantidade de carga de contêiner:	3300Pairs / 1x20 'contêiner 6600Pairs / 1x40 'contêiner

Product Pictures

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: HEIBEI NANG DAFU CO., LTD.
BAIXIAI PUFA PLAZA, NO.269 CHANGFANG ROAD, HARBIN, CHINA

Issue Date: 15 September 2009

Expiry Date: 15 September 2019

Certificate No.: 11.110.0381.11 (Extension to Certificate LE0706.0173.00)

Product Reference(s): BF6378 (HI-XIAN)
BF6321 (HI-XIAN)-2008-11

Description:
Construction : INJECTION
Toecap : Composite Toecap
Midsole : Non metallic anti penetration insole board
Last : 1706
Sole : 1708 PU/PA
Shank : 1708
Mould : 1706
Test Report(s) : 500.1107/09/01 F-N
Size Range : 37-48
Category : CLIP SBC

Signed: CBall Date: 15/09/2009

Certification Manager: Date: 15/09/2009

For and on behalf of TÜV Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certificate No.: 09K067Q014

Certified that

Harbin Ana Safety Products Mfg., Co., Ltd.

Registration Address: No.16, 15 Unit 2, Building 11B, East 1st Street, Pingfang District, Harbin City, Heilongjiang Province

Production Address: Linin Village, Xinhua Town, Acheng District, Harbin City, Heilongjiang Province

Office Address: 302, Pufa Building, No.269 Changfang Road, Nan'gang District, Harbin City

Unified Social Credit Code: 91230109790280618

Has established a Quality Management System which is in Accordance with the Requirements of the Standard

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Manufacture and Sales of Polyvinyl Chloride (PVC)

Protective Rain Boots (Except for Production License Products)

Expiry of Certificate for Last Cycle: Mar. 9, 2020
Validity of Certification: May 7, 2020 To: Mar. 9, 2021
Effective Date of the Certificate: May 7, 2020

EWC:

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.
LININ VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA

Issue Date: 06 September 2019

Expiry Date: 06 September 2024

Certificate No.: LE0706.0173.00

Product Reference(s): BM (FIRM)
SAFETY BOOTS

Description:
Construction : INJECTION
Toecap : ASTM STEEL TOECAP
Midsole : CFW-500 STEEL PLATE
Last : HA-K09
Sole : PVC & NITRILE
Mould : HA-K
Test Report(s) : 0207/09/0071, 0207/09/0176
Size Range : EU36-EU47
Category : S5 SRA

Signed: Date: 06/09/2019

Certification Manager: Date: 06/09/2019

For and on behalf of TÜV Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY