

## Product Description

Nome do Produto:	Sapatos de segurança executiva antiderrapantes, resistentes ao óleo, antiderrapantes
Item número:	M008
Parte superior e sola:	Parte superior: Couro de microfibra Sola: Densidade dupla PU / PU
Dedo do pé:	1. Dedo do pé composto para ser resistente a impactos 200 Joules. 2. non também é fornecido.
Entressola:	1 Palmilhas anti-penetração não metálicas para estar punção resistente 1100 Newton. 2) Não é Além disso forneceu
Peso:	1,0 kgs / pr
Estilo:	Amarrado
Resina:	Tecido de malha de ar respirável, será mantido seus pés confortáveis
Palmilhas:	EVA + malha moldada ou outros
Construção:	Injeção de PU
Altura:	Tornozelo baixo
Tamanho:	EUR 38-46
Padrão:	CE EN ISO 20345 S3 SRC ou outros como suas exigências
Garantia:	6 meses
Função:	Deslizamento / óleo / impacto / resistente a perfurações, antiestático, à prova de água, absorção de choque
Pacote:	1 par por caixa de cor, 10 pares por caixa. Tamanho da caixa: 58,5 x 40 x 32,5 cm
Quantidade de carga do recipiente:	3300pairs / 1x20 'container 6600pairs / 1x40 'container

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISE CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU NEW SAFETY PRODUCTS APLC (S. LTD.)  
1201 Village, North Zone, Jiangsu Science Park,  
Hefei, Anhui Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Plug  
480V 10A/15A  
480V 10A/20A  
480V 10A/25A  
480V 10A/30A  
50V 20A 30A 50A

**Description:**

Construction	Insulation
Terminal	Open contact
Material	Open plug
Lead	5000
Wire	5000 (PVC)
Mount	ACB
Test frequency	See certificate No.
Test range	20A/15A
Category	50V-50A

**Authorized Representative:** *C.M.* 168712219

**Intertek Representative:** *[Signature]* 168712219

**Intertek (UK) Ltd**  
15, West Nyack Lane, West Nyack, NY 10994-2133, USA  
15, West Nyack Lane, West Nyack, NY 10994-2133, USA

**Intertek (UK) Ltd**  
15, West Nyack Lane, West Nyack, NY 10994-2133, USA  
15, West Nyack Lane, West Nyack, NY 10994-2133, USA



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY