

Product Description

Nome do Produto:	8 polegadas antiderrapante tigre marca de aço biqueira de couro botas de segurança homens
Item número:	SD5065
Parte superior e sola:	Parte superior: Couro de vaca em relevo Sola: PU dupla densidade
Dedo do pé:	1. biqueira de aço, pode ser resistente a impactos 200 joules. 2. non também é fornecido.
Entressola:	1 Chapa de aço, pode ser punção resistente 1100 Newton. 2) Não é Além disso forneceu
Peso:	1,2 kgs / pr
Colarinho:	Couro artificial PU com esponja
Língua:	PU couro artificial, à prova de areia
Forro:	Air & dry mesh fabric (Seus pés serão mantidos secos e confortáveis)
Sockliner:	EVA moldado ou outros (reduz bastante a dor e a fadiga do trabalho diário)
Construção:	Injeção de PU
Altura:	8 polegadas
Tamanho:	37-47 (3-13)
Padrão:	CE EN ISO 20345 SBP SRC ou outros como suas exigências
Garantia:	6 meses
Pacote:	1 par por color embalagem interior da caixa, 10 pares por caixa.
Tamanho da caixa	59 x 44 x 33 cm
Quantidade de carga do recipiente:	3000pairs / 1x20 'container Contêiner 6000pairs / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE

Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDU
ZOU, JIANGSU PROVINCE, CHINA

Authorised Representative: FUJIAN HONGJIAN SHISEI CO., LTD.
1-101 Village, Xuyuan Street, Jiangnan Town, Nuduzou,
Jiangsu Province, China

Date of Issue: 13 January 2018

Expiry Date: 13 February 2020

Certificate No.: L20170002947 (extension of certificate L20170024198)

Product Reference(s): Safety Group:
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V

Description:

Construction:	Insulation
Topology:	Star network
Material:	Star cable
Core:	CCC
Line:	CCC (PSP)
Mount:	ACB
Test frequency:	Star network for
Test range:	38-45
Category:	SPR-45A

Authorised Representative: *C.M.* 1687-02947
Date: 13/01/2018

Intertek 1687-02947
Date: 13/01/2018

Product Reference(s): Safety Group:
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V

Description:

Construction:	Insulation
Topology:	Star network
Material:	Star cable
Core:	CCC
Line:	CCC (PSP)
Mount:	ACB
Test frequency:	Star network for
Test range:	38-45
Category:	SPR-45A

Authorised Representative: *C.M.* 1687-02947
Date: 13/01/2018

Intertek 1687-02947
Date: 13/01/2018

Product Reference(s): Safety Group:
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V

Description:

Construction:	Insulation
Topology:	Star network
Material:	Star cable
Core:	CCC
Line:	CCC (PSP)
Mount:	ACB
Test frequency:	Star network for
Test range:	38-45
Category:	SPR-45A

Authorised Representative: *C.M.* 1687-02947
Date: 13/01/2018

Intertek 1687-02947
Date: 13/01/2018



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY