

Product Description

Nome do Produto:	300 °C resistente ao calor antiderrapante aço biqueira de segurança botas sapatos para o trabalho
Item número:	TC001
Parte superior e sola:	Parte superior: Dividir couro de cavalo louco Sola: PU & Borracha (não há cheiro pungente)
Dedo do pé:	1. biqueira de aço para ser resistente a impactos 200 Joules. 2. non também é fornecido.
Entressola:	1 Aço prato para estar punção resistente 1100 Newton. 2) Não é Além disso forneceu
Peso:	1,2 kgs / pr
Colarinho:	Couro artificial PU com esponja
Língua:	Couro artificial do plutônio & couro de cavalo louco rachado
Forro:	Tecido de malha amarela para sanduíches secos (seus pés ficarão confortáveis e confortáveis)
Sockliner:	HI-POLY ou PU moldado (reduz bastante a dor e a fadiga do trabalho diário)
Construção:	Injeção
Altura:	Tornozelo alto
Tamanho:	37-47 (3-13)
Padrão:	CE EN ISO 20345 SBP SRC ou outros como suas exigências
Garantia:	6 meses
Pacote:	Embalagem da caixa interna de cor, 10 pares em uma caixa.
Tamanho da caixa	59 x 44 x 33 cm
Quantidade de carga do recipiente:	3200pairs / 1x20 'container 6400pairs / 1x40 'container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S. LTD.)
1-101 Village, Xuyuan Street, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Valve
48501-08010
48502-08024
48503-08018
48504-08019
800 200 300 400

Description:

Construction:	Iron/Steel
Trim:	Steel valve
Material:	Steel valve
Port:	DN15
Size:	800 (Supply)
Mount:	ACG
Test Standard:	EN 12286-2 Part 2
Test Range:	0.6 MPa
Category:	009 A14

C.M. 1587-0218

 **Product Approval** 1587-0218

Intertek Testing Services (UK) Limited, 35 Littleport Way, Lutterworth, Leicestershire, LE15 107, UK



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY