

## Product Description

Nome do Produto:	Sapatos de trabalho de segurança industrial resistentes ao deslizamento de sola de couro preto nobuck preto
Item número:	TH003
Parte superior e sola:	Parte superior: couro nobuck Sola: PU & sola de borracha para fora (não há cheiro pungente), resistente à abrasão, óleo e antiderrapante
Dedo do pé:	1. biqueira de aço para ser resistente a impactos 200 Joules. 2. non também é fornecido.
Entressola:	1 Aço prato para estar punção resistente 1100 Newton. 2) Não é Além disso forneceu
Peso:	1,1 kgs / pr
Colarinho:	Tecido oxford de alta densidade com esponja
Língua:	Tecido oxford de alta densidade
Forro:	Tecido preto de malha de ar e sanduíche seco (seus pés serão mantidos secos e confortáveis)
Sockliner:	HI-POLY ou PU moldado (reduz bastante a dor e a fadiga do trabalho diário)
Construção:	Injeção
Altura:	Tornozelo baixo
Tamanho:	37-47 (3-13)
Padrão:	CE EN ISO 20345 SBP SRC ou outros como suas exigências
Garantia:	6 meses
Pacote:	Embalagem da caixa interna de cor, 10 pares em uma caixa.
Tamanho da caixa	58,5 x 40 x 32,5 cm
Quantidade de carga do recipiente:	3300pairs / 1x20 'container 6600pairs / 1x40 'container

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.  
1201 Village, North Zone, Jiangyin District, Suzhou,  
Henan Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Valve  
48201-08010  
48200-08024  
48201-08018  
48201-08019  
800 200 300 400

**Description:**

Construction:	Iron/Steel
Working Pressure:	20bar-16bar
Material:	Steel alloy
Port:	DN15
Size:	800 (Supply)
Mount:	AC30
Test Standard:	GB 15019.1-2016
Test Range:	20-16
Category:	800-16bar

**Authorised Representative:** *C.M.* 168102918

**Product Reference:** *C.M.* 168102918

**Intertek Reference:** *C.M.* 168102918

**Intertek Reference:** *C.M.* 168102918

Intertek is a member of the Intertek Group of companies, which are authorised to issue EC Type Examination Certificates on behalf of the European Commission. The Intertek Group of companies is a member of the European Conformity Assessment Association (ECAA).



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY