

DESCRIPTION

TIGER MASTER

1. Faça o trabalho direito no sapatos de segurança mestre tigre . Estes sapatos de segurança são construídos com um fecho de cadarço, bico de segurança de aço, forro de absorção de umidade para ajudar a manter seus pés secos e uma sola de PU antiderrapante para tração e versatilidade máxima.
2. Biqueira de aço e palmilha de aço único que atende CE padrões . Para proteger os dedos dos pés sem perigo. Para proteger seus pés sem perfurar por pregos ou objetos pontiagudos.
3. A palmilha de EVA metatômica removível oferece suporte e conforto duradouros sob os pés.
4. Antiderrapante PU sola atende CE EN ISO 20345:2011 Padrões de Teste Antiderrapante.
5. Feito de cabedal de couro de vaca em relevo, confortável, altamente flexível, respirável, anti poeira e vento.
6. Construção moldada por injeção, qualidade estável, velocidade rápida, proteção ambiental.
7. Categoria de Calçados de Segurança:
OB: não segurança, **SB:** Apenas com biqueira de aço, **PAS:** Com biqueira de aço e entressola de aço
S1: SBAnti-estático, **S1P:** S1Placa de Aço, **S2:** S1À prova d'água, **S3:** S1PÀ prova d'água
8. Os calçados de segurança Tiger Master são usados pelos trabalhadores para evitar ferimentos nos trabalhos. A sua segurança é sempre a nossa preocupação!

Item número:	TM036
Parte Superior e Sola:	Parte superior: couro de vaca rachado em relevo; Sola: PU/ PU dupla densidade sola
Dedo do pé:	1. Biqueira de aço resistente a impactos de 200 joules. 2. non também é fornecido.
Entressola:	1. Entressola de aço para ser resistente a perfurações de 1100 newtons. 2. não também é fornecido
Colarinho:	PU couro sintético
Língua:	PU couro sintético
Resina:	Malha de ar macio tecido forro para um ajuste confortável
Almofadas de sapato:	A palmilha removível em EVA moldada oferece suporte superior sob os pés e conforto acolchoado
Construção:	moldado por injeção
Altura:	corte médio
Tamanho:	36-47
Padrão:	CE EN ISO 20345 S1-P SRC ou outros
Garantia:	6 meses A sola não está quebrada no meio ou arrancada dentro de seis meses após a mercadoria chegar ao porto de destino. Nenhuma garantia para a parte superior.
Função:	Deslizamento/ óleo/ ácido/ gasolina/ químico/ impacto/ resistente a perfurações, absorção de choque, antiestático e resistente à água.
Pacote:	1 par por caixa de cor, 10 pares por caixa.Tamanho da caixa: 59 x 44 x 33 cm

Quantidade de carga do contêiner:	3200 pares/recipiente de 1x20" 6400 pares/recipiente 1x40
-----------------------------------	--

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT

TIGER MASTER®

CE APPROVED



Breathable Air Hole mesh

Water Resistant
Cow Leather

Abrasion Resistant
Supported Counterpart

Wide Fitting
Steel Toe Cap



Anti Static Performance

Heavy Duty Double
Density PU sole



Superior Comfortable
Memory Foam Insoles

Anti-nail Penetration Midsole Plate

01

Steel Toe

Anti-Shock Steel toe cap

Steel toe cap design giving protection from dangerous falling objects

European Standard Steel Toe Cap

- ① Steel toe shoes with CE EN ISO 20345:2011 standard
- ② Impact resistance of 200J
- ③ Widened Steel Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Midsole

**Steel mid-sole puncture proof 1100 newtons,
To protect your feet without puncture by nail or
sharp objects.**

Steel mid-sole



03

Anti-Slip

PU Out Sole

Slip-resistant PU outsole meets CE EN ISO 20345:2011
Non-Slip Testing Standards.

**Provides stronger wear-resisting,
a slip-resistant PU outsole for excellent stability.**



04

Waterproof

Upper & Insole

Waterproof Cow Leather Upper

Removable metatomical EVA footbed provides long-lasting underfoot support and comfort.



Waterproof leather upper



PACKING



COMPANY INFORMATION

TIGER MASTER

Mestre Tigre é fabricante de calçados de segurança e galochas de PVC. Nós fomos qualificados ISO 9001: 2015 sistema de gestão da qualidade. Além disso, alguns de nossos modelos de venda quente qualificaram CE ENISO 20345:2011 e ASTM F2413-18. Enquanto isso, também somos uma marca profissional para **EPI (equipamento de proteção individual)**, principalmente nas áreas de luvas de segurança, roupas de trabalho, capacetes, colete salva-vidas, protetor auricular/plugue, cofre arnês, capa de chuva/terno etc.

Obrigado pelo seu interesse no Tiger Master, espero que você possa encontrar os produtos que deseja e iniciar nossa cooperação comercial. Se precisar de mais informações, não hesite em nos contatar, estamos sempre prontos aqui.

intertek

EU TYPE EXAMINATION CERTIFICATE

CE

Manufacturer: HEILONGJIANG SAFER CO., LTD.
 HEILONGJIANG SAFER CO., LTD. (HEILONGJIANG SAFER CO., LTD.), CHINA

Issue Date: 01 September 2023

Expiry Date: 31 September 2024

Product Name: CE 20000001020 - Extension to Certificate: CE 20000101020

Product Reference(s): H17001-2001-2000, H17001-2001-2000-10

<p>Model(s):</p> <p>CE 20000001020</p> <p>CE 20000001020-10</p> <p>CE 20000001020-20</p> <p>CE 20000001020-30</p> <p>CE 20000001020-40</p> <p>CE 20000001020-50</p> <p>CE 20000001020-60</p> <p>CE 20000001020-70</p> <p>CE 20000001020-80</p> <p>CE 20000001020-90</p> <p>CE 20000001020-100</p> <p>CE 20000001020-110</p> <p>CE 20000001020-120</p> <p>CE 20000001020-130</p> <p>CE 20000001020-140</p> <p>CE 20000001020-150</p> <p>CE 20000001020-160</p> <p>CE 20000001020-170</p> <p>CE 20000001020-180</p> <p>CE 20000001020-190</p> <p>CE 20000001020-200</p> <p>CE 20000001020-210</p> <p>CE 20000001020-220</p> <p>CE 20000001020-230</p> <p>CE 20000001020-240</p> <p>CE 20000001020-250</p> <p>CE 20000001020-260</p> <p>CE 20000001020-270</p> <p>CE 20000001020-280</p> <p>CE 20000001020-290</p> <p>CE 20000001020-300</p> <p>CE 20000001020-310</p> <p>CE 20000001020-320</p> <p>CE 20000001020-330</p> <p>CE 20000001020-340</p> <p>CE 20000001020-350</p> <p>CE 20000001020-360</p> <p>CE 20000001020-370</p> <p>CE 20000001020-380</p> <p>CE 20000001020-390</p> <p>CE 20000001020-400</p> <p>CE 20000001020-410</p> <p>CE 20000001020-420</p> <p>CE 20000001020-430</p> <p>CE 20000001020-440</p> <p>CE 20000001020-450</p> <p>CE 20000001020-460</p> <p>CE 20000001020-470</p> <p>CE 20000001020-480</p> <p>CE 20000001020-490</p> <p>CE 20000001020-500</p>	<p>Category: PERSONAL PROTECTIVE EQUIPMENT (PPE)</p> <p>Material: POLYESTER / POLYESTER / POLYESTER</p> <p>Use: PROTECTIVE EQUIPMENT</p> <p>Standard: EN 12428</p> <p>Product Group: SAFETY BELTS</p> <p>Product Reference(s): H17001-2001-2000, H17001-2001-2000-10</p> <p>Product Name: CE 20000001020 - Extension to Certificate: CE 20000101020</p> <p>Product Reference(s): H17001-2001-2000, H17001-2001-2000-10</p>
--	--

Manufacturer's Declaration: *[Signature]* Date: 01/09/2023

Notified Body: *[Signature]* Date: 01/09/2023

For use in scope of CE Marking, see Annex A (EN 12428)

Certificate of Quality Management System

Certificate No.: 0081019

Certified for:

HEILONGJIANG SAFER CO., LTD.

(Certificate No. 0081019, Issued on 01/09/2023, Valid until 31/08/2024)

This certificate is issued to the organization for demonstrating that it has established a Quality Management System in full in accordance with the requirements of the Standard as follows:

GB/T 19001-2015/ISO 9001:2015

SCOPE OF CERTIFICATION:

Sales of Personal Protective Equipments (Foot Protective, Head Protective, Hand Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrier, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Barrier, Reflecting Mirror, Reflective, Reflective Corner Guard and Reflecting Spikes)

Valid to: 31/08/2024

Issue Date: 01/09/2023

This certification is issued on the condition that the organization shall comply with the conditions of the Standard and the requirements of the Scheme of the Certificate at all times.

Scheme No.: 0081019

intertek

EU TYPE EXAMINATION CERTIFICATE

CE

Manufacturer: HEILONGJIANG SAFER CO., LTD.
 HEILONGJIANG SAFER CO., LTD. (HEILONGJIANG SAFER CO., LTD.), CHINA

Issue Date: 01 September 2023

Expiry Date: 31 September 2024

Product Name: CE 20000001020 - Extension to Certificate: CE 20000101020

Product Reference(s): H17001-2001-2000, H17001-2001-2000-10

<p>Model(s):</p> <p>CE 20000001020</p> <p>CE 20000001020-10</p> <p>CE 20000001020-20</p> <p>CE 20000001020-30</p> <p>CE 20000001020-40</p> <p>CE 20000001020-50</p> <p>CE 20000001020-60</p> <p>CE 20000001020-70</p> <p>CE 20000001020-80</p> <p>CE 20000001020-90</p> <p>CE 20000001020-100</p> <p>CE 20000001020-110</p> <p>CE 20000001020-120</p> <p>CE 20000001020-130</p> <p>CE 20000001020-140</p> <p>CE 20000001020-150</p> <p>CE 20000001020-160</p> <p>CE 20000001020-170</p> <p>CE 20000001020-180</p> <p>CE 20000001020-190</p> <p>CE 20000001020-200</p> <p>CE 20000001020-210</p> <p>CE 20000001020-220</p> <p>CE 20000001020-230</p> <p>CE 20000001020-240</p> <p>CE 20000001020-250</p> <p>CE 20000001020-260</p> <p>CE 20000001020-270</p> <p>CE 20000001020-280</p> <p>CE 20000001020-290</p> <p>CE 20000001020-300</p> <p>CE 20000001020-310</p> <p>CE 20000001020-320</p> <p>CE 20000001020-330</p> <p>CE 20000001020-340</p> <p>CE 20000001020-350</p> <p>CE 20000001020-360</p> <p>CE 20000001020-370</p> <p>CE 20000001020-380</p> <p>CE 20000001020-390</p> <p>CE 20000001020-400</p> <p>CE 20000001020-410</p> <p>CE 20000001020-420</p> <p>CE 20000001020-430</p> <p>CE 20000001020-440</p> <p>CE 20000001020-450</p> <p>CE 20000001020-460</p> <p>CE 20000001020-470</p> <p>CE 20000001020-480</p> <p>CE 20000001020-490</p> <p>CE 20000001020-500</p>	<p>Category: PERSONAL PROTECTIVE EQUIPMENT (PPE)</p> <p>Material: POLYESTER / POLYESTER / POLYESTER</p> <p>Use: PROTECTIVE EQUIPMENT</p> <p>Standard: EN 12428</p> <p>Product Group: SAFETY BELTS</p> <p>Product Reference(s): H17001-2001-2000, H17001-2001-2000-10</p> <p>Product Name: CE 20000001020 - Extension to Certificate: CE 20000101020</p> <p>Product Reference(s): H17001-2001-2000, H17001-2001-2000-10</p>
--	--

Manufacturer's Declaration: *[Signature]* Date: 01/09/2023

Notified Body: *[Signature]* Date: 01/09/2023

For use in scope of CE Marking, see Annex A (EN 12428)

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)