

DESCRIPTION

TIGER MASTER

1. Faça o trabalho direito no sapatos de segurança mestre tigre . Estes sapatos de segurança são construídos com um fecho de cadarço, biqueira de segurança de aço, forro de absorção de umidade para ajudar a manter seus pés secos e uma sola de PU antiderrapante para tração e versatilidade máxima.
2. Biqueira de aço e palmilha de aço único que atende CE padrões . Para proteger os dedos dos pés sem perigo. Para proteger seus pés sem perfurar por pregos ou objetos pontiagudos.
3. A palmilha de EVA metatômica removível oferece suporte e conforto duradouros sob os pés.
4. Antiderrapante PU sola atende CE EN ISO 20345:2011 Padrões de Teste Antiderrapante.
5. Feito de cabedal de couro de vaca rachado corrigido, confortável, altamente flexível, anti poeira e vento.
6. Construção moldada por injeção, qualidade estável, velocidade rápida, proteção ambiental.
7. Categoria de Calçados de Segurança:
OB: não segurança, **SB:** Apenas com biqueira de aço, **PAS:** Com biqueira de aço e entressola de aço
S1: SBAnti-estático, **S1P:** S1Placa de Aço, **S2:** S1À prova d'água, **S3:** S1PÀ prova d'água
8. Os calçados de segurança Tiger Master são usados pelos trabalhadores para evitar ferimentos nos trabalhos. A sua segurança é sempre a nossa preocupação!

Item número:	TM111
Parte Superior e Sola:	Parte superior: Couro de vaca rachado corrigido; Sola: PU/ PU dupla densidade sola
Dedo do pé:	1. Biqueira de aço para ser resistente a impactos. 2. non também é fornecido.
Entressola:	1. Entressola de aço para ser resistente a perfurações. 2. não também é fornecido
Colar e Língua:	PU couro artificial
Estilo:	Laço
Resina:	Malha de ar macio tecido forro para um ajuste confortável
Almofadas de sapato:	A palmilha removível em EVA moldada oferece suporte superior sob os pés e conforto acolchoado
Construção:	moldado por injeção
Altura:	corte médio
Tamanho:	36-47
Padrão:	CE EN ISO 20345 Sb-P SRC ou outros
Garantia:	6 meses A sola não está quebrada no meio ou arrancada dentro de seis meses após a mercadoria chegar ao porto de destino. Nenhuma garantia para a parte superior.
Função:	Deslizamento/ óleo/ ácido/ gasolina/ químico/ impacto/ furo resistente, absorção de choque , anti estático e à prova de água disponível
Pacote:	1 par por caixa de cor, 10 pares por caixa.Tamanho da caixa: 59 x 44 x 33 cm

Quantidade de carga do contêiner:	3200 pares/recipiente de 1x20" 6400 pares/recipiente 1x40
-----------------------------------	--

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





PACKING



COMPANY INFORMATION

TIGER MASTER

Mestre Tigre é fabricante de calçados de segurança e galochas de PVC. Nós fomos qualificados ISO 9001: 2015 sistema de gestão da qualidade. Além disso, alguns de nossos modelos de venda quente qualificaram CE ENISO 20345:2011 e ASTM F2413-18. Enquanto isso, também somos uma marca profissional para **EPI (equipamento de proteção individual)**, principalmente nas áreas de luvas de segurança, roupas de trabalho, capacetes, colete salva-vidas, protetor auricular/plugue, cofre arnês, capa de chuva/terno etc.

Obrigado pelo seu interesse no Tiger Master, espero que você possa encontrar os produtos que deseja e iniciar nossa cooperação comercial. Se precisar de mais informações, não hesite em nos contatar, estamos sempre prontos aqui.

EU TYPE EXAMINATION CERTIFICATE intertek

CE intertek

Manufacturer: HELLONGJIANG SAFER CO., LTD.
Address: NO.121, HONGJIANG ROAD, HELLONGJIANG CITY, HEILONGJIANG, CHINA

Issue Date: 01 September 2023
Expiry Date: 31 September 2025

Product Name: HELONGJIANG SAFER
Model/Type/Version: HSA-121

Product Description: HELONGJIANG SAFER
Product Category: HELONGJIANG SAFER
Product Code: HELONGJIANG SAFER

Product Details:

Material	Stainless Steel
Color	Stainless Steel
Finish	Stainless Steel
Weight	1.2kg
Dimensions	100mm x 100mm x 100mm
Operating Temperature	-20°C to 50°C
Storage Temperature	-20°C to 50°C
Humidity	5% to 95%
Shock Resistance	100g
Vibration Resistance	10g
Impact Resistance	10J
Corrosion Resistance	300h
UV Resistance	1000h
Flammability	UL94V0
RoHS Compliance	Yes
REACH Compliance	Yes
CE Marking	Yes
EMC Compliance	Yes
Low Voltage Directive	Yes
EMC Directive	Yes
RoHS Directive	Yes
REACH Directive	Yes

Declaration: I hereby declare that the product is in conformity with the requirements of the applicable EU Directives and standards.

Signature: _____
Name: _____
Position: _____

Intertek Representative: _____
Name: _____
Position: _____

For use as a sample of CE Marking, see Annex 2 (EN 45553:2012)

intertek.com



Certificate of Quality Management System

Certificate No.: 1000102

Certified for:
HELLONGJIANG SAFER CO., LTD.

Certificate of Registration No.: 1000102

The establishment has established a Quality Management System in full in accordance with the requirements of the Standard ISO 9001:2015.

SCOPE OF CERTIFICATION:
Sales of Personal Protective Equipments (Foot Protective, Head Protective, Hand Protective and Body Protective and Traffic Safety Products (Safety Net, Road Cone, Safety Barrier, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Barrier, Reflecting Mirror, Reflective, Reflective Corner Guard and Reflecting Spike)

Issue Date: 01/09/2023

Valid Until: 31/08/2025

This certificate is issued on the condition that the certificate holder shall comply with the requirements of the Standard ISO 9001:2015.

Intertek Representative: _____
Name: _____
Position: _____

ANAB **IAF**

EU TYPE EXAMINATION CERTIFICATE intertek

CE intertek

Manufacturer: HELONGJIANG SAFER CO., LTD.
Address: NO.121, HONGJIANG ROAD, HELLONGJIANG CITY, HEILONGJIANG, CHINA

Issue Date: 01 September 2023
Expiry Date: 31 September 2025

Product Name: HELONGJIANG SAFER
Model/Type/Version: HSA-121

Product Description: HELONGJIANG SAFER
Product Category: HELONGJIANG SAFER
Product Code: HELONGJIANG SAFER

Product Details:

Material	Stainless Steel
Color	Stainless Steel
Finish	Stainless Steel
Weight	1.2kg
Dimensions	100mm x 100mm x 100mm
Operating Temperature	-20°C to 50°C
Storage Temperature	-20°C to 50°C
Humidity	5% to 95%
Shock Resistance	100g
Vibration Resistance	10g
Impact Resistance	10J
Corrosion Resistance	300h
UV Resistance	1000h
Flammability	UL94V0
RoHS Compliance	Yes
REACH Compliance	Yes
CE Marking	Yes
EMC Compliance	Yes
Low Voltage Directive	Yes
EMC Directive	Yes
RoHS Directive	Yes
REACH Directive	Yes

Declaration: I hereby declare that the product is in conformity with the requirements of the applicable EU Directives and standards.

Signature: _____
Name: _____
Position: _____

Intertek Representative: _____
Name: _____
Position: _____

For use as a sample of CE Marking, see Annex 2 (EN 45553:2012)

intertek.com

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)