## Product Description

| | |
|---|---|
| Nome do Produto: | Tiger Master Brande Sapatos de segurança |
| Item número: | TM2008. |
| Superior e sola: | Superior: Couro de vaca dividido em relevo<br>SOLE: PU / PU densidade de densidade |
| Dedo do pé: | 1. Tampa de dedo do pé para ser resistente a impacto 200 joules. Para proteger seus pés de pés sem perigo. |
| | 2. Toe não-aço também é fornecido. |
| Midsole: | 1. Placa de aço a ser resistente à punção 1100 Newton.Para proteger seus pés sem perfurar por unhas ou objetos pontiagudos |
| | 2. Placa não de aço também é fornecida |
| Colarinho: | PU couro artificial com esponja |
| Língua: | Couro artificial do PU. |
| Resina: | Tecido de malha de ar suave (será mantido seus pés confortáveis) |
| Sockliner: | Anti estático moldado EVA revestido com tecido de malha de ar ou outros como suas necessidades (reduza bastante os pés dor e fadiga do trabalho diário) |
| Construção: | Injeção do PU. |
| Altura: | Corte médio |
| Tamanho: | 38-47. |
| Padrão: | CE PT ISO 20345: 2011 S3 SRC ou outros. |
| Garantia: | 6 meses |
| Pacote: | 1 pares por cEmbalagem de caixa interna olor, 10 pares em uma caixa. |
| Tamanho da caixa | 59 x 44 x 33 cm |
| Quantidade de carga de contêiner: | 3200Pairs / 1x20 'contêiner<br>6400Pairs / 1x40 'contêiner |

## Product Pictures

TIGER MASTER

# TIGER MASTER SAFETY SHOES

## Your safety is our concern


TIGER MASTER
TIGER MASTER SAFETY SHOES
YOUR SAFETY IS OUR CONCERN
HOT SALES
STEEL TOE CAP
PUNCTURE RESISTANT STEEL
ANTI-STATIC SHOE
SLIP RESISTANT SOLE
OIL AND FUEL RESISTANT SOLE
TIGER MASTER
CE EN ISO 20345 S1P SRC

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

APPROVED BODY DMLI

Issued to

Issue Date : 15 September 2009

Expiry Date : 15 September 2019

Certificate No.

Product Reference(s)

Description

| | | |
|---|---|---|
| Type of Section | : | Injection |
| Toecap | : | Composite Toecap |
| Midsole | : | Non-metallic anti-penetration fabric board |
| Lace | : | 1706 |
| Sole | : | 1708 PU/PA |
| Mould | : | 1708 |
| Test Report(s) | : | See technical file |
| Size Range | : | 37-48 |
| Category | : | CAT IIIC |

Signed by

Date

Certification Manager

Date

For and on behalf of TÜV Testing Services (UK) Limited

E.W.C

# Certificate of Quality Management System

Certificate No.: 094307Q014

*Certified that*

## Harbin Ana Safety Products Mfg., Co., Ltd.

Registration Address: No.16, 1F, Unit 2, Building 11B, Jiaxi Street, Pingfang District, Harbin City, Heilongjiang Province

Production Address: Linin Village, Xinhua Town, Acheng District, Harbin City, Heilongjiang Province

Office Address: 202, Pafa Building, No.249 Changjiang Road, Nangang District, Harbin City

Unified Social Credit Code: 91230109MW0D8H18

*Has established a Quality Management System which is in Accordance with the Requirements of the Standard:*

**GB/T 19001-2016/ISO 9001:2015**

SCOPE OF CERTIFICATION

**Manufacture and Sales of Polyvinyl Chloride (PVC)**

**Protective Rain Boots (Except for Production License Products)**

*Expiry of Certificate for Last Cycle: Mar. 9, 2020*
*Validity of Certification: May 7, 2020 To: Mar. 9, 2021*
*Effective Date of the Certificate: May 7, 2020*

*The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance. Conditions on effectiveness of certificate see http://www.ewgc.org and official website of Certification and Accreditation Administration of People's Republic of China: http://www.cnca.gov.cn*

*Expiry of This Certificate is Mar., 2021*

Serial No.: YS0017008

E.W.C.

ANAB

IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

APPROVED BODY DMLI

Issued to : HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LININ VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA

Issue Date : 06 September 2019

Expiry Date : 06 September 2024

Certificate No. : LE0900017001

Product Reference(s) : 1001 (TYPE1) SAFETY BOOTS

Description

| | | |
|---|---|---|
| Construction | : | INJECTION |
| Toecap | : | 400 STEEL TOECAP |
| Midsole | : | 1708 (400 STEEL PLATE) |
| Last | : | AA-408 |
| Sole | : | PVC & NITRILE |
| Mould | : | 408-A |
| Test Report(s) | : | 0207000007Q, 0207000007M |
| Size Range | : | 35-48 (38-47) |
| Category | : | II-IIIA |

Signed by

Date

Certification Manager

Date

For and on behalf of TÜV Testing Services (UK) Limited

# [ PRODUCTION PROCESS ]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

# SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T