

Product Description

Nome do Produto:	Sapatos de trabalho à prova de furos, sola de couro preto, biqueira de aço CE en345
Item número:	TM5005
Superior e único:	Superior: couro de vaca dividido em relevo Sola: PU / PU dupla densidade
Dedo do pé:	1. Biqueira de aço para ser resistente a impactos de 200 Joules. 2. Biqueira de não aço também é fornecida.
Entressola:	1. Placa de aço para ser resistente a perfurações de 1100 Newton. 2. placa de não aço também é fornecida
Colarinho:	Couro artificial PU
Língua:	Couro artificial PU
Resina:	Tecido de malha de sanduíche de ar (manterá seus pés confortáveis)
Sockliner:	EVA moldado revestido com tecido de malha de ar ou outros
Construção:	Injeção de PU
Certificação:	CE
Tamanho:	38-46
Padrão:	CE EN ISO 20345: 2011 SB-P SRC ou outros.
Garantia:	6 meses
Pacote:	1 par por embalagem em caixa interna, 10 pares por caixa.
Tamanho da Caixa	58,5 x 40 x 32,5 cm
Quantidade de carga do contêiner:	3300 pares / 1x20 'contêiner 6600 pares / 1x40 'contêiner

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY