Product Description

Nome do Produto:	PretoBotas de alto rigger S3 SRC
Item número:	W1022.
Superior e sola:	Superior: Couro de vaca dividido em relevo SOLE: PU / PU densidade de densidade
Dedo do pé:	1. Tampa de dedo do pé para ser resistente a impacto 200 joules. Para proteger seus pés de pés sem perigo.
	2. Toe não-aço também é fornecido.
Midsole:	1. Placa de aço a ser resistente à punção 1100 Newton.Para proteger seus pés sem perfurar por unhas ou objetos pontiagudos
	2. Placa não de aço também é fornecida
Colarinho:	Couro artificial do PU.
Estilo:	Sem laços de rigger botas com dois loops
Resina:	Tecido de malha de ar suave (será mantido seus pés confortáveis)
Sockliner:	Anti-estático moldado EVA revestido com tecido de malha de ar ou outros (Reduza muito os pés dor e fadiga do trabalho diário)
Construção:	Injeção do PU.
Altura:	28-29 cm (média)
Tamanho:	37-47.
Padrão:	CE PT ISO 20345: 2011 S3 SRC ou outros.
Garantia:	6 meses A sola não está quebrada do meio ou retirada no prazo de seis meses após as mercadorias chegando ao porto de destino.Nenhuma garantia para a parte superior.
Pacote:	1 pares por cEmbalagem de caixa interna olor, 10 pares em uma caixa.
Tamanho da caixa	68 x 65 x 34,5 cm
Quantidade de carga de contêiner:	1800Pairs / 1x20 'contêiner 3600Pairs / 1x40 'contêiner

Product Pictures

TIGER MASTER
Strong
Comfortable
Flexible
Embossed leather handle
Easy to wear welding boots
Embossed cow leather upper
Water proof, not easy to be broken
Padded velvet movable
Insole for soft & Shock
absorption
PU dual density sole,
Anti slip & oil resistant,
Abrasion resistant,
Heel energy absorption
CE standard steel toe cap
Impact resistant 200 joules
CE standard steel Plate
Puncture resistant 1100 newtons

EU TYPE
EXAMINATION
CERTIFICATE
intertek

Certificate of
Quality Management System
Certified that
Harbin Ana Safety Products Mfg., Co., Ltd.
GB/T 19001-2016/ISO 9001:2015
SCOPE OF CERTIFICATION
Manufacture and Sales of Polyvinyl Chloride (PVC)
Protective Rain Boots (Except for Production License Products)
ANAB
IAF

EU TYPE
EXAMINATION
CERTIFICATE
intertek

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY