Product Description

Наименование товара:	Ботинки промышленной безопасности низкой пробки носка лодыжки пробитые для работы
Предмет номер:	11KL
Верхняя и единственная:	Верх: Сплит нубука Подошва: ПУ двойной плотности
Палец на ноге:	1. Стальной подносок должен быть ударопрочным 200 Дж.
	2. не стальной носок также предоставляется.
Midsole:	1. Стальная пластина для защиты от проколов 1100 Ньютон.
	2. не стальная пластина также предоставляется
Воротник:	Искусственная кожа PU
Язык:	Искусственная кожа PU
Подкладка:	Воздушная и сухая сетчатая ткань
стелька:	Формованный EVA с покрытием из воздушной сетки или других
Строительство:	ПУ инъекция
Высота:	Низкая лодыжка
Размер:	евро 38-46 (США 4-12)
Стандарт:	SB-P SRC или другие
Гарантия:	6 месяцев
Пакет:	Цветная внутренняя упаковка коробки, 10 пар в картонной упаковке.
Размер коробки	58.5x40x32.5cm
Количество загрузки контейнера:	3200 пар / 1x20 'контейнер Контейнер 6400 пар / 1x40 ’

Product Pictures

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL