## Product Description

| | |
|---|---|
| Наименование товара: | Черная промышленная защитная обувь |
| Предмет номер: | 760 |
| Верх и подошва: | Верх: спилок из бычьей кожи и сетчатая ткань<br>Подошва: натуральный каучук |
| Носок: | 1. Стальной подносок для ударопрочности 200 Дж.<br>Чтобы защитить пальцы ног без опасности. |
| | 2. также предусмотрено не. |
| Межподошва: | 1. Неметаллические стельки с защитой от проколов, устойчивые к проколам 1100 Ньютон.<br>Для защиты ног от проколов ногтями или острыми предметами |
| | 2. также предусмотрено не |
| Воротник: | 3D летающая вязаная ткань |
| Язык: | Сетчатая ткань высокой плотности |
| Оболочка: | Мягкая воздушная сетчатая ткань для комфортной посадки. |
| Стелька: | Антистатический формованный EVA с покрытием из воздушной сетки или другой ткани<br>(Значительно уменьшите боль в ногах и усталость от ежедневной работы) |
| Строительство: | Цементированный |
| Высота: | НЧ |
| Размер: | 36-47 |
| Стандарт: | CE EN ISO 20345:2011 SB-P SRC или другие. |
| Гарантия: | 6 месяцев<br>Подошва не сломана посередине и не оторвана в течение шести месяцев после прибытия товара в порт назначения. Нет гарантии на верх. |
| Функция: | Масло/ кислота/ бензин/ химический/ ударопрочный/ прокол устойчивый, противоскользящий, дышащий, амортизирующий, антистатический. |
| Упаковка: | 1 пара за цвет коробка, 10 пары за коробка. коробка размер: 58,5 X 40 X 32,5 см |
| Количество загрузки контейнера: | 3300 пар/1x20" контейнер<br>6600 пар/1x40 контейнер |

## Product Pictures

01

Steel Toe

# Anti-Shock Steel Toe

Steel toe cap design giving protection from dangerous falling objects

## European Standard Steel Toe Cap

①Steel toe shoes with ASTM F2413 standard
②Impact resistance of 200J
③AN1 Widened Steel Toe
④Pressure resistance > 15KN

02

Puncture Proof

# Puncture Proof Midsole

Compared with the traditional steel plate midsole, This midsole is lighter and better in anti-puncture performance

Non-metallic anti-penetration insoles
To protect your feet without puncture
by nail or sharp objects

03

Anti-Slip

# Rubber Outsole

We adopted RB outsoles with special figure that enhanced the traction of the shoes, which also meets ASTM nonslip testing standards.

## Provides stronger wear-resisting, suitable for complex pavements

04

Breathable&Soft

# Upper & Insole

Breathable & Comfortable Uppers
Compared with the traditional steel toed leather shoes , the fly weavingshoes are more breath and comfortable , and it will better fit your feet.

Breathable Mesh Upper

Anti-Odour Lining

Engineer

Warehouse

Factory

Car Fix

Construction Site

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: HEILONGJIANG SAFER CO., LTD.

Issue Date: 15 September 2020

Expiry Date: 15 September 2021

Certificate No.: [illegible] (Extension to Certificate [illegible])

Product Reference(s): [illegible]

Description:

| | | |
|---|---|---|
| Construction | : | Injection |
| Toecap | : | Composite Toecap |
| Midsole | : | Non metallic and combination metal board |
| Lace | : | [illegible] |
| Sole | : | [illegible] |
| Mould | : | [illegible] |
| Test Report(s) | : | [illegible] |
| Size Range | : | [illegible] |
| Category | : | [illegible] |

EWC

*Certificate of Quality Management System*

Certificate No.: 105821Q

*Certified that*

**HEILONGJIANG SAFER CO., LTD.**

[illegible]

*Has established a Quality Management System which is in Accordance with the Requirements of the Standard* [illegible]

**GB/T 19001-2016/ISO 9001:2015**

SCOPE OF CERTIFICATION

**Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)**

*Validity of Certification: Nov. 17, 2021 Six Nov. 16, 2024*
*Issue Date: Nov. 17, 2021*

[illegible]

EWC:

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: [illegible]

Issue Date: [illegible]

Expiry Date: [illegible]

Certificate No.: [illegible]

Product Reference(s): [illegible]

Description:

| | | |
|---|---|---|
| Construction | : | INJECTION |
| Toecap | : | [illegible] |
| Midsole | : | [illegible] |
| Lace | : | [illegible] |
| Sole | : | [illegible] |
| Mould | : | [illegible] |
| Test Report(s) | : | [illegible] |
| Size Range | : | [illegible] |
| Category | : | [illegible] |

Approved: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of ITS Testing Services (UK) Limited

# SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

# Canton Fair

## SAFETY SHOES

## RAIN BOOTS

**PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY**