

## Product Description

|                                 |  |
|---------------------------------|--|
| Наименование товара:            | Антискользящая стальная защитная обувь без прокола   |
| Предмет номер:                  | HA5020   |
| Верхний и Единственный:         | Верх: исправленная разделенная кожа коровы<br>Подошва: PU / PU двойной плотности                   |
| Палец:                          | 1. Стальной палец должен быть ударопрочным 200 Дж.<br>2. не предоставляется.                       |
| Midsole:                        | 1. Стальная пластина для быть прокол резистентный 1100 ньютон.<br>2. не является также при условии |
| Вес:                            | 1,1 кг / пр  |
| Стиль:                          | Нет кружева, с двусторонней эластичной кромкой   |
| Оболочка:                       | Воздушная сетка, она будет держать ваши ноги комфортно   |
| Стельки:                        | Формованная EVA + сетка или другие   |
|                                 |  |
| Строительство:                  | ПУ инъекций  |
| Высота:                         | Средний срез   |
| Размер:                         | евро 38-46   |
| Стандарт:                       | CE EN ISO 20345 SB-P SRC или другие как ваши требования  |
| Гарантия:                       | 6 месяцев  |
| Функция:                        | Скольжение / масло / удар / прокол, антистатические, водонепроницаемые, амортизация                |
| Пакет:                          | 1 пара в коробке цвета, 10 пар в коробке. Размер коробки: 59 x 44 x 33 см                          |
| Количество загрузки контейнера: | 3300 пар / 1x20 'контейнер<br>Контейнер 6600 пар / 1x40 '  |

## Product Pictures







## ***Company Information***





### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHIBAO CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI  
3211, ZHOUJING PROVINCE, CHINA

**Authoriser:** FUJIAN HONGJIAN SHIBAO CO., LTD.  
1-101 Village, Shuang Yuan, Jiangnan Town, Nanjing  
321100, Jiangsu Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** LDC170002947 (extension of certificate LDC170294719)

**Product Reference(s):**  
Safety Group:  
48501-48600  
48600-48604  
48604-48608  
48608-48619  
850-859, 859-869

**Description:**

|                 |                    |
|-----------------|--------------------|
| Construction:   | Indoor             |
| Topology:       | Open ended         |
| Material:       | Open wire          |
| Core:           | CCC                |
| Wire:           | CCC (PVC)          |
| Shield:         | ACS                |
| Test frequency: | See technical file |
| Test range:     | 30-45              |
| Category:       | SEP-10A            |

*C.M.* 15/1/2018

 **Product Manager:** 15/1/2018

Authorised signatory  
EU and UK member of IFS Reporting Services (UK) Limited



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY