

Product Description

Наименование товара:	Лучшие продажи черной кожаной обуви со стальным носком в Бангладеш
Предмет номер:	HS1050
Верхний и Единственный:	Верх: тисненая кожа коровы Подошва: ПУ двойной плотности
Палец:	1. Стальной носок, он может быть ударопрочным 200 Дж. 2. не предоставляется.
Midsole:	1. Стальная пластина, может быть прокол резистентный 1100 ньютон. 2. не является также при условии
Вес:	1,1 кг / пр
Воротник:	Искусственная кожа с губкой
Язык:	Искусственная кожа PU
Подкладка:	Серая воздушная и сухая сетчатая ткань (Ваши ноги будут сухими и удобными)
стелька:	Формованный EVA или другие (значительно уменьшите вашу боль и усталость от ежедневной работы)
Строительство:	ПУ инъекций
Высота:	Низкая лодыжка
Размер:	37-47 (3-13)
Стандарт:	CE EN ISO 20345 SBP SRC или другие как ваши требования
Гарантия:	6 месяцев
Пакет:	1 пара за сВнутренняя упаковка olog, 10 пар в коробке.
Размер коробки	58,5 x 40 x 32,5 см
Количество загрузки контейнера:	3300 пар / 1x20 'контейнер Контейнер 6600 пар / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE

Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HONGJIAN SHISEI (EUROPE) LTD., LTD.
1201 Village, North Street, Jersey, Channel Islands,
JE1 1BQ, Jersey, Channel Islands

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
4800V (380V)
4800V (480V)
4800V (600V)
4800V (800V)
800V (200V-800V)

Description:

Construction:	Insulation
Turning:	Open contact
Material:	Open state
Line:	500V
Use:	500V (Supply)
Mount:	ACB
Test frequency:	See technical file
Test range:	38-80
Category:	500V-800V

C.M. 1687-02018

EU Flag 1687-02018

Product Reference: L20170002947 (extension of certificate L20170294719)

Authorised Representative: HONGJIAN SHISEI (EUROPE) LTD., LTD.
1201 Village, North Street, Jersey, Channel Islands,
JE1 1BQ, Jersey, Channel Islands

Intertek



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY