

Product Description

Наименование товара:	Модная противоскользящая обувь для женщин
Предмет номер:	TMC003
Верхний и Единственный:	Верх: натуральная замшевая кожа коровы и нейлоновая ткань высокой плотности Подошва: резиновая
Палец:	1. Композитный носок должен быть ударопрочным 200 Дж. 2. не стальной носок также предоставляется.
Midsole:	Неметаллическая подошва с защитой от проникновения, стойкая к проколам 1100 ньютон.
Вес:	1,1 кг / пр
Язык:	Красная ткань высокой плотности
Подкладка:	Дышащая серая воздушная и сухая сетчатая ткань (ваши ноги будут сухими и удобными)
Стелька:	Формованная HI-POLY или другие (Значительно уменьшает вашу боль и усталость от ежедневной работы)
Функция:	Масло и кислотостойкие, ударопрочные и проколотые, нескользкие, антистатические
Строительство:	цементированный
Рост:	Низкая лодыжка
Размер:	37-47 (3-13)
Стандарт:	S1-P или другие как ваши требования
Гарантия:	6 месяцев
Пакет:	Цветная внутренняя упаковка коробки, 10 пар в картонной упаковке.
Размер коробки	58,5 x 40 x 32,5 см
Количество загрузки контейнера:	3300 пар / 1x20 'контейнер Контейнер 6600 пар / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	POWELL HONGKONG (SHENZHEN) CO., LTD. SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NANYANG DISTRICT, SHANGHAI PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Square, Singapore Singapore 110622, Singapore																		
	Date of Issue:	13 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294194)																		
	Product Reference(s):	Safety Group: 48501-48502 48503-48504 48505-48506 48507-48508 850-859, 859-860																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Topology:</td> <td>Open ended</td> </tr> <tr> <td>Material:</td> <td>Open ended</td> </tr> <tr> <td>Core:</td> <td>SSC</td> </tr> <tr> <td>Wire:</td> <td>800 (P40)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See technical file</td> </tr> <tr> <td>Test range:</td> <td>30-60</td> </tr> <tr> <td>Category:</td> <td>850-859</td> </tr> </table>	Construction:	Insulation	Topology:	Open ended	Material:	Open ended	Core:	SSC	Wire:	800 (P40)	Mount:	ACB	Test frequency:	See technical file	Test range:	30-60	Category:	850-859
Construction:	Insulation																			
Topology:	Open ended																			
Material:	Open ended																			
Core:	SSC																			
Wire:	800 (P40)																			
Mount:	ACB																			
Test frequency:	See technical file																			
Test range:	30-60																			
Category:	850-859																			
	Notified Body:	<p><i>C.M.</i></p> <p>Intertek (UK) Limited 110, Wood Lane Road, Birmingham B2 4BN, UK Tel: +44 (0)121 717 0000</p>																		
	Product Name:	850-859																		
	Product Reference:	850-859																		

Intertek is a member of the Intertek Group of companies. Intertek is not responsible for the accuracy of the information provided on this certificate. Intertek is not responsible for the accuracy of the information provided on this certificate. Intertek is not responsible for the accuracy of the information provided on this certificate.



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

