

Product Description

Наименование товара:	TIGER MASTER Туфли из замши из искусственной кожи без подошвы из стекловолокна
Предмет номер:	SMR09
Верхний и Единственный:	Верх: замша и ткань высокой плотности Подошва: PU / PU подошва двойной плотности
Палец:	1. Носок из стекловолокна, он может быть ударопрочным 200 Дж. 2. не предоставляется.
Midsole:	1. Неметаллические стельки против проникновения в быть прокол резистентный 1100 ньютон. 2. не является также при условии
Вес:	1,0 кг / пр
Воротник:	Высокая плотность ткань
Язык:	Ткань высокой плотности
Оболочка:	Воздушная сетка для сэндвичей (Ваши ноги будут комфортными)
стелька:	Формованная EVA или HI-POLY или PU (значительно уменьшает вашу боль и усталость от ежедневной работы)
Строительство:	ПУ инъекций
Высота:	Низкая лодыжка
Размер:	38-46
Стандарт:	CE EN ISO 20345 S1-P SRC или другие как ваши требования
Гарантия:	6 месяцев
Функция:	Скольжение / масло / удар / прокол, антистатические, амортизация
Пакет:	1 пара в коробке цвета, 10 пар в коробке. Размер коробки: 58,5 x 40 x 32,5 см
Количество загрузки контейнера:	3300 пар / 1x20 'контейнер Контейнер 6600 пар / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	POWELL HONGKONG SERVICE CO., LTD. SUNSHINE INDUSTRIAL ZONE, SHICHANG TOWN, NINGBO 321117, ZHEJIANG PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Square Centre, Hong Kong, HONG KONG																		
	Date of Issue:	11 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294796)																		
	Product Reference(s):	Safety Plug: 48811-08A10 48810-08A10 48811-08A10 48811-08A10 48811-08A10 48811-08A10																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Terminal:</td> <td>Open contact</td> </tr> <tr> <td>Material:</td> <td>Open wire</td> </tr> <tr> <td>Lead:</td> <td>5000</td> </tr> <tr> <td>Wire:</td> <td>6000 (Purple)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See certificate No.</td> </tr> <tr> <td>Test range:</td> <td>25-45</td> </tr> <tr> <td>Category:</td> <td>500-100A</td> </tr> </table>	Construction:	Insulation	Terminal:	Open contact	Material:	Open wire	Lead:	5000	Wire:	6000 (Purple)	Mount:	ACB	Test frequency:	See certificate No.	Test range:	25-45	Category:	500-100A
Construction:	Insulation																			
Terminal:	Open contact																			
Material:	Open wire																			
Lead:	5000																			
Wire:	6000 (Purple)																			
Mount:	ACB																			
Test frequency:	See certificate No.																			
Test range:	25-45																			
Category:	500-100A																			
<p><i>Signature</i></p> <p>CE</p> <p>EU</p>		<p>1587-02947</p> <p>1587-02947</p>																		



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toe cap



CE Steel Plate



Composite Toe cap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY