

Product Description

Наименование товара:	Нескользящие рабочие защитные ботинки из композитного материала с защитой от проколов
Предмет номер:	SMR10H
Верх и подошва:	Верх из микрофибры. Подошва двойной плотности из ПУ / ПУ
Носок:	Композитный носок для ударопрочности 200 джоулей. (ASTM F2413-18 M I / 75 C / 75, стандарт CE EN ISO 20345) Также не предоставляется.
Средняя подошва:	Неметаллическая подошва с защитой от проколов для защиты от проколов 1100 Ньютон. (ASTM F2413-18 M I / 75 C / 75, стандарт CE EN ISO 20345) Также не предоставляется.
Сертификация:	CE
Воротник:	Кожа из микрофибры
Язык:	Кожа из микрофибры
Оболочка:	Дышащая ткань с воздушной сеткой
Стелька:	Формованный EVA или HI-POLY или PU
Строительство:	Инъекции полиуретана
Рост:	Высокая щиколотка
Размер:	38-46 евро
Гарантия:	6 месяцы
Функция:	Без металла, сгуба / масло / удар / прокол, антистатический, водонепроницаемый, амортизация
Пакет:	1 пара в цветной коробке, 10 пар в коробке. Размер коробки 59 x 44 x 33 см
Количество загрузки контейнера:	3200 пар / 1x20 'контейнер 6400 пар / 1x40 'контейнер

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY