Product Description

Наименование товара:	Устойчивая к истиранию против скольжения стекловолокна легкая защитная обувь спорт
Предмет номер:	TM1024.
Верхний и подошва:	Верхний КПУ;PU + TPU подошвы,
Палец:	1. Крышка из стекловолокна, чтобы быть устойчивым к воздействию. Чтобы защитить ноги ноги без опасности.
	2. Не также предоставляется.
Midsole:	1. Неполосные стержня без металлических анти проникновения должны быть устойчивы к проколу.Чтобы защитить ноги без прокола от ногтей или острых предметов.
	2. Не также предоставляется
Воротник:	Ткань высокой плотности
Язык:	Ткань высокой плотности
Оболочка:	Мягкая воздушная сетка для комфорта подходит
Обувные колодки:	Съемная высокополибикрасочная ссора предлагает превосходную поддержку под ногами и комфортным комфортом.
Строительство:	Литка под давлением
Высота:	НЧ
Размер:	37-47
Стандарт:	CE EN ISO 20345: 2011 SB-P SRC или другие.
Гарантия:	6 месяцев Подошва не разбита с середины или отстана в течение шести месяцев после того, как товар добирался до порта назначения.Нет гарантии для верхнего.
Функция:	Анти скольжение, масло / кислотное / бензиновое / химическое / удачное / проколование / устойчивость к истиранию, без металлический, легкий, амортизатор.
Упаковка:	1 пара на цветную коробку, 10 пар на коробку. Размер коробки:58.5.Икс40.Икс32.5.см
Количество загрузки контейнера:	3300PASS / 1x20 'Контейнер 6600PASS / 1x40 'Контейнер

Product Pictures

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

APPROVED BODY DIN2

Issued to: HEILONGJIANG SAFER CO., LTD.
BAIKAI PLAZA PLAZA, NO.201 DAJIANGNAN ROAD, HARBIN, CHINA

Issue Date: 15 September 2009

Expiry Date: 15 September 2019

Certificate No.: 01120080111 (Extension to Certificate LE0700371001)

Product Reference(s): BF6378 (HI-XIAN)
BF6201 (HI-XIAN-1)

Description:
Construction : INJECTION
Toecap : Composite Toecap
BF6201 : Non-metallic anti-puncture insole board
Lace : 1338
Sole : 1338 PU/PA
Mould : 1338
Test Report(s) : SGS 1407HO0114-1
Size Range : 39-46
Category : II A BK

Issued at: CBall Date: 15/09/2009

Certification Manager: Date: 15/09/2009

For and on behalf of TÜV Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not Applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Batons, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance. Conditions on effectiveness of certificate see http://www.cnca.gov.cn and official website of Certification and Accreditation Administration of People's Republic of China http://www.cnca.gov.cn)

Expiry of This Certificate is Nov. 2022
Serial No.: V1007072

EWC:

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

APPROVED BODY DIN2

Issued to: HARBIN HAI SAFETY PRODUCTS MFG. CO., LTD.
LINN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA

Issue Date: 06 September 2019

Expiry Date: 06 September 2024

Certificate No.: LE0700371001

Product Reference(s): BM (FW-01)
SAFETY BOOTS

Description:
Construction : INJECTION
Toecap : ASTM STEEL TOECAP
Midsole : CRW-GBE STEEL PLATE
Last : HA-BBB
Sole : PVC & NITRILE
Mould : HA-A
Test Report(s) : GZHTR0904073, GZHTR0904194
Size Range : EU36-EU47
Category : II A BK

Issued at: Date:

Certification Manager: Date:

For and on behalf of TÜV Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY