

Product Description

Наименование товара:	Высокая защитная защита труда лодыжки на охране труда
Предмет номер:	TM3015.
Верхний и подошва:	Подлинная корова замшевая кожа верхняя Подошва PU двойной плотности
Носок:	СталиCAP TOE, чтобы быть устойчивыми устойчивыми 200 джоулей, Не также предоставляется. (ASTM F2413-18 м I / 75 C / 75, CE EN ISO 20345 Стандарт)
Mid Sole:	Стальная пластина должна быть проколостойкой 1100 Ньютон. Не также предоставляется. (ASTM F2413-18 м I / 75 C / 75, CE EN ISO 20345 Стандарт)
Стандарт:	CE EN ISO 20345 SB-P SRC или другие
Стиль:	Наследуемое
Воротник:	Оксфорд высокой плотности
Язык:	Оксфорд высокой плотности
Оболочка:	Мягкая воздушная сетка ткани
Sockliner:	Формованная ева покрыта сетчатой тканью или другими
Строительство:	ПУ инъекция
Высота:	Высокая лодыжка
Размер:	38-46
Гарантия:	6. месяцы
Функция:	СГуб / нефть / ударопрочный / проколостойкий, амортизатор, антистатический
Упаковка:	1 пара на цветную коробку, 10 пар на коробку. Размер коробки 59 x 44 x 33 см
Количество загрузки контейнера:	3200PASS / 1x20 'Контейнер 6400PASS / 1x40 'Контейнер

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection